

**MANUFACTURER:** The Claremont Company  
**PRODUCT TRADE NAME:** LOW K-200  
**DESCRIPTION:** INSULATION  
**PRODUCT CATEGORY:** FOAM  
**DATE PREPARED:** 09/99  
**LAST EDIT DATE:** 07/11

**MATERIAL SAFETY DATA SHEET**

=====  
**SECTION I - PRODUCT IDENTIFICATION AND USE**  
=====

**Identity:** Low K-200  
**Manufacturer's Name:** The Claremont Company  
**Address:** 35 Winsome Drive.  
Durham, CT 06422  
**Emergency Telephone No:** (800) 222-4448

=====  
**SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**  
=====

**Hazardous Components  
(Specific Chemical Identity):** None

=====  
**SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS**  
=====

**Boiling Point:** N/A  
**Specific Gravity (H2O=1):** 0.0063-0.013  
**Vapor Pressure(mm Hg):** None  
**Melting Point:** N/A  
**Vapor Density (Air = 1):** N/A

Evaporation Rate  
(Butyl Acetate = 1): N/A  
Solubility in Water:  
Ph: N/A  
% Volatile by Volume: Less than 0.005%  
Appearance and Odor: Beige to yellowish foam,  
odorless. (Material is a solid)

=====  
**SECTION IV - FIRE AND EXPLOSION HAZARD DATA**  
=====

Flash Point (Method Used): N/A  
Flammable Limits: N/A  
LEL: N/A  
UEL: N/A  
  
Extinguishing Media: Water, CO2  
  
Special Fire Fighting  
Procedures: None  
  
Unusual Fire and Explosion  
Hazards: None (Under normal atmospheric  
conditions this material will  
not support combustion.)

=====  
**SECTION V - REACTIVITY DATA**  
=====

Stability: Stable  
Conditions to Avoid: None

=====  
**SECTION VI - HEALTH HAZARD DATA**  
=====

Route(s) of entry: Inhalation, Ingestion  
  
Health Hazards (acute  
and chronic): No known toxicity problems have  
been observed. However, the

material is a mechanical irritant to the eye in a particular form.

**Carcinogenicity:**

NTP?: N/A  
IARC Monographs?: N/A  
OSHA Regulated?: N/A

**Signs and Symptoms of Exposure:** Not determined

**Medical Conditions Generally**

**Aggravated by Exposure:** Not determined

**Emergency and First Aid Procedures:** Not determined

=====  
**SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE**  
=====

**Steps to be taken in case material is released or spilled:** Vacuum into normal filtered canister.

**Waste Disposal Method:** Approved landfill disposal facilities.

**Precautions to Be Taken In Handling and Storing:** None

**Other Precautions:** None

=====  
**SECTION VIII - CONTROL MEASURES**  
=====

**Respiratory Protection (Type):** The use of dust masks are recommended where particulates are present.

**Ventilation:**

Local Exhaust: Yes  
Mechanical: Yes

**Protective Gloves:** None

**Eye Protection:** The use of safety glasses or goggles is recommended because particulate matter will cause mechanical irritation.

**Other Protective Clothing:** Good housekeeping in fabrication operation is essential.

**Work/Hygienic Practices:** In fabrication operations, normal ventilation systems should be used.

**.End**