## **Safety Data Sheet**



#### **SECTION 1 – IDENTIFICATION**

Product Name: FOAMGLAS® insulation, FOAMGLAS® ONE™ insulation, FOAMGLAS® HLB insulation

Manufacturer/Supplier:

Pittsburgh Coming Corporation Global Industry Headquarters

800 Presque Isle Drive Information Number: +1 724 327 6100 Pittsburgh, PA 15239 CHEMTREC: +1 800 424 9300

Generic Name: Cellular glass insulation

Use: Insulation of tanks, spheres, piping, roofs and equipment. For professional use

only.

Chemical Family: Mixture

General

Comments: General information and emergency information available 8:00 AM – 5:00 PM

Monday through Friday.

CHEMTREC telephone number is to be used only in the event of chemical transportation emergencies involving a spill, leak, fire, exposure, or accident involving chemicals. All non-emergency questions should be directed to technical service.

## **SECTION 2 – HAZARD(S) IDENTIFICATION**

HAZARD CLASSIFICATION: Potential Irritant

SIGNAL WORD: WARNING

HAZARD STATEMENT: Dust in contact with skin will cause irritation.

Direct contact of dust with eyes will cause eye

irritation.

**HAZARDOUS** 

POLYMERIZATION: Will Not Occur

ROUTES OF EXPOSURE: Inhalation, Skin, Eyes and Ingestion.

**IMMEDIATE EFFECTS:** 

INHALATION: No adverse effects are expected. May cause respiratory irritation.

SKIN CONTACT: Irritation or abrasion from glass particles.

EYE CONTACT: Contact can cause severe irritation, inflammation of the mucous

membrane, tearing, and sensitivity to light.

INGESTION: May be harmful if ingested, although this is not a likely route of entry.

Ingestion can cause possible abrasion of mouth and throat from glass

particles.

FOAMGLAS SDS 08252015.docx August 25, 2015

#### MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

ACUTE: Preexisting skin and eye disorders may be aggravated by direct

contact to this product.

CHRONIC: Prolonged or repeated overexposure to airborne glass dust can lead

to inflammation and scarring of lung tissue.

CARCINOGENICITY: There are no components in this product that are listed as a

carcinogen by NTP, IARC, ACGIH or OSHA.

## **SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredient	App. % by Vol.	CAS#
Glass Dust	Varies	NA

#### **SECTION 4 – FIRST AID MEASURES**

**GENERAL** 

ADVICE: Obtain special instructions before use. Never give anything by mouth to an

unconscious person. If you feel unwell, seek medical advice (show the label if

possible)

INHALATION: Move the exposed person to fresh air at once, apply artificial respiration if needed.

Call poison center, physician or emergency medical service if needed. Encourage

victim to cough, spit out, and blow nose to remove dust. If breathing is difficult,

GET MEDICAL ATTENTION.

SKIN CONTACT: Wash thoroughly without pressure. If irritation persists or skin is broken, consult

physician.

EYE CONTACT: Flush with potable water for 15 minutes, do not rub or apply pressure. Consult

physician or emergency medical service.

INGESTION: An unlikely route of entry. Wash out mouth with water provided person is

conscious. Never give anything by mouth to an unconscious person. Call a

physician immediately

FDAMGLAS® industry 2 of 7 August 25, 2015

**SECTION 5 - FIRE FIGHTING MEASURES** 

SUITABLE EXTINGUISHING MEDIA: Fine Water Spray, CO<sub>2</sub>, Dry Chemical, Foam. If entering a

confined area, use self-contained breathing apparatus.

**EXPLOSION DATA:** 

SENSITIVITY TO MECHANICAL IMPACT: NA SENSITIVITY TO STATIC DISCHARGE: NA

UNUSUAL FIRE AND EXPLOSION

HAZARDS:

None. This product is not flammable or combustible.

Packaging is combustible.

HAZARDOUS COMBUSTION

PRODUCTS:

None known.

SPECIAL FIRE FIGHTING MEASURES: Wear self-contained breathing apparatus and protective

clothing.

**SECTION 6 – ACCIDENTAL RELEASE MEASURES** 

PRECAUTIONS FOR

PERSONNEL: Do not o

Do not get in eyes, on skin, or on clothing. Do not breathe dust. Avoid

generating dust

Wear personal protective equipment. Refer to recommendations in section 8.

Avoid contact with eyes, skin and clothing.

Wash thoroughly after handling and before eating or drinking.

**ENVIRONMENTAL** 

PRECAUTIONS: Ensure adequate ventilation. Use dustless methods. All in accordance with

local, state and federal government regulations.

PROCESS FOR

CLEANING: Collect in sift proof containers. Avoid generation of dust.

REGULATORY

REQUIREMENTS: Follow applicable OSHA regulations (29 CFR 1910.120).

**SECTION 7 – HANDLING AND STORAGE** 

HANDLING: Avoid generation of dust. Wash hands before eating, drinking, smoking or using toilet.

Keep out of reach of children.

STORAGE: If storing for long periods, protect product from weather.

FOAMGLAS® industry 3 of 7 August 25, 2015

## **SECTION 8 – EXPOSURE RESTRICTIONS AND PERSONAL PROTECTION**

#### **EXPOSURE LIMITS**

Ingredient	App. % by Vol.	TLV	NIOSH REL TWA	PEL	CAS#
Glass Dust	Varies	10 mg/m <sup>3</sup>	UN	15 mg/m <sup>3</sup> 5 mg/m <sup>3a</sup> ( <sup>a</sup> respirabl e)	NA

EXPOSURE GUIDELINES: When exposed to dust above recommended limits, wear a

suitable NIOSH-approved respirator with a protection factor appropriate for the level of exposure. Seek guidance from a qualified industrial hygienist or safety professional, prior to

respirator selection and use.

ENGINEERING CONTROLS: When cutting, grinding, crushing, or drilling FOAMGLAS®

insulation, provide general or local ventilation systems, as needed, to maintain airborne dust concentrations below the regulatory limits. Local vacuum collection is preferred since it prevents release of contaminants into the work area by controlling it at the source. Other technologies that may aid

in controlling airborne respirable dust include wet

suppression, ventilation, process enclosure, and enclosed

employee work stations.

PERSONAL PROTECTIVE EQUIPMENT:

EYE PROTECTION: When cutting, grinding, crushing, or drilling FOAMGLAS®

insulation, wear safety glasses with side shields or dust goggles in dusty environments. Wear goggles for dust protection while cutting or abrading in wind or overhead

work.

SKIN PROTECTION: Wear rubber impregnated canvas gloves for abrasion

protection. Wear normal protective work clothing with long

sleeved shirt.

RESPIRATORY

PROTECTION: Use nuisance dust mask when cutting or abrading with

adequate ventilation. Seek guidance from a qualified industrial hygienist or safety professional, prior to dust mask/respirator selection and use. (Supplied air or self-contained breathing apparatus in poorly ventilated areas may be required. Contact an Industrial Hygiene specialist to

monitor work in confined spaces.)

ENVIRONMENTAL EXPOSURE

CONTROL:

Use local exhaust when cutting. Use mechanical ventilation

when crushing large volumes.

WORK/HYGIENIC PRACTICES: Avoid contact with eyes and skin. Wash thoroughly after

handling and before eating or drinking.

FDAMGLAS® industry 4 of 7 August 25, 2015

# **Safety Data Sheet**

**SPECIAL PRECAUTIONS:** 

Respirable dust particles may be generated by crushing, cutting, grinding or drilling FOAMGLAS® insulation. Follow protective controls listed in the Exposure Guidelines above

when handling these products.

## **SECTION 9 - PHYSICAL PROPERTIES**

Appearance:	Black cellular solid	Flash Point : °C (°F) TCC	NA
Odor:	no odor unless cut or crushed, rotten egg odor when cells are crushed or cut	Ignition Temperature: °C (°F)	NA
Odor Threshold:	or Threshold: 0.002 ppm		NA
pH	NA	Flammability:	Non-Flammable
Melting Point/Freezing Point: °C (°F)	732 (1350)	Flammable Limits: LEL UEL	NA NA
Boiling Point: °C (°F)	Point: °C (°F) NA		NA
Solubility in Water:	bility in Water: Insoluble		NA
Partition Coefficient: n-octanol/water:	NA	Specific Gravity: (H <sub>2</sub> 0 = 1):	0.11 – 0.22
Viscosity	NA	Evaporation Rate: (BuAC=1)	NA
OC: g/l (lbs./gal) 0.0 (0.0)		Percent Volatile By Volume: (%)	NA

## **SECTION 10 – STABILITY AND REACTIVITY**

REACTIVITY: Hazardous reactions will not occur under normal

conditions.

STABILITY: Stable

POSSIBILITY OF HAZARDOUS

**REACTIONS:** Hazardous reaction will not occur

CONDITIONS TO AVOID: NA

MATERIALS TO AVOID: NA

**DECOMPOSITION PRODUCTS:** None

FOAMGLAS® Industry 5 of 7 August 25, 2015

#### **SECTION 11 – TOXICOLOGICAL INFORMATION**

CAS#	INGREDIENT	DERMAL LD50	<u>INHALATION</u> LD50	ORAL LD50
NA	Glass Dust	NE	NE	NE

CAS#	INGREDIENT	CARCINOGENICITY ACGIH IARC		TERATOGENICITY	MUTAGENICITY	
NA	Glass Dust	NE	NE	NE	NE	

## **SECTION 12 - ECOLOGICAL INFORMATION**

BIODEGRADATION: NA BIOACCUMULATION: NA AQUATIC TOXICITY: NA OTHER INFORMATION: None

## **SECTION 13 - DISPOSAL CONSIDERATIONS**

DISPOSAL METHOD: Dispose of waste material in accordance with all local, regional, national,

provincial, territorial and international regulations.

## **SECTION 14 - TRANSPORT INFORMATION**

SPECIAL SHIPPING INFORMATION: Not regulated DOT SHIPPING CLASS: Not regulated. TDG Not regulated. Not regulated. Not regulated.

**FDAMCLAS® Industry** 6 of 7 August 25, 2015

## **SECTION 15 - REGULATORY INFORMATION**

**US Regulatory Information** 

OSHA 29 CFR 1910-1200 Irritant

TSCA All components of this product are listed on TSCA

Inventory

SARA Title III:

SARA SECTION 302: None SARA SECTION 304: NA

SARA (311,312) HAZARD CLASS: None SARA (313) CHEMICALS: None

CERCLA: NA

RCRA: Refer to section 13

CPSC CLASSIFICATION: NA

HMIS: FLAMMABILITY: 0 REACTIVITY: 0 HEALTH: 0

NFPA: FLAMMABILITY: 0 REACTIVITY: 0 HEALTH: 0

WHMIS CLASSIFICATION: Irritant



#### **CALIFORNIA PROPOSITION 65:**

Α.	This p	roduct (	contains	a chemical	known	to the	State	of CA	\ to	cause	birth	defects	or otl	ner
="	reprod	uctive I	harm.											

B. This product contains a chemical known to the State of CA to cause cancer.

C. This product contains a chemical known to the State of CA to cause cancer and birth defects or other reproductive harm.

#### **SECTION 16 – OTHER INFORMATION**

Prepared in accordance with 29 CFR 1910.1200

This Product has been classified in accordance with the hazard criteria of the Controlled Products

NEGL = Negligible PROP. = Proprietary

"THE DATA INCLUDED HEREIN ARE PRESENTED IN ACCORDANCE WITH THE VARIOUS ENVIRONMENT, HEALTH AND SAFETY REGULATIONS. IT IS THE RESPONSIBILITY OF A RECIPIENT OF THIS DATA TO REMAIN CURRENTLY INFORMED ON CHEMICAL HAZARD INFORMATION, TO DESIGN AND UPDATE ITS INFORMED ON CHEMICAL HAZARD INFORMATION, TO DESIGN AND UPDATE ITS OWN PROGRAM AND TO COMPLY WITH ALL NATIONAL, FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS APPLICABLE TO SAFETY, OCCUPATIONAL HEALTH, RIGHT-TO-KNOW AND ENVIRONMENTAL PROTECTION."

WHILE THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE, PITTSBURGH CORNING MAKES NO WARRANTY WITH RESPECT THERETO, AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.

FOAMGLAS® is a registered trademark of Pittsburgh Corning.

FDAMGLAS® industry 7 of 7 August 25, 2015