

Marketing Broadcast

BROADCAST: M16-001 BLOCKS, PLUGS, PLANKS NEW PRODUCT LAUNCH Date: June 16, 2016 Issued by: George Yoshida, Ted Colwell

#### TITLE: NEW PRODUCT LAUNCH 3M™ FIRE BARRIER BLOCKS, PLUGS AND PLANKS

**DESCRIPTION:** 3M Fire Barrier Blocks, Plugs (two sizes - 2" and 4" diameter) and Planks are UL listed products designed to firestop openings in fire rated floors and walls created by cables, cable trays, conduit and multiple conduit. These products pass the ASTM E814 UL 1479 fire tests for through-penetrations as well as meet the International Building Code for passive fire protection. 3M Fire Barrier Blocks, Plugs and Planks are installed by mechanical, electrical, plumbing and firestop contractors in commercial and multi-family residential rated construction to help prevent the spread of flames, hot gases and smoke. No wire mesh is required for the installation of these products. For large rectangular openings stack the Blocks or Planks in the opening and use 3M<sup>TM</sup> Fire Barrier Rated Foam FIP 1-Step or other approved 3M sealants (refer to UL system for specific sealants) at the edges of the opening and around the penetrant. For circular blank openings less than 4 inches install the plug in the opening. Product remains pliable and soft after installation for easy reenterability.

#### **PRODUCTS:**

	Blocks, Plugs, Planks E1 FPP National Gold Pricing												
Marketplace Formal Name	Product #	Stock #	UPC	Units Per Shipper	Shippers Per Layer	Layers Per Pallet	Units Per Pallet	Product Dimensions (Inches)	Shipper (Case) Weight Ibs	List	E1 FPP National Gold	E1 FPP National Gold \$2500 Assortable Volume Buy	E1 FPP National Gold \$5000 Assortable Volume Buy
3M <sup>™</sup> Fire Barrier Block B258	B258	98-0441-1000-9	0-00-76308-97939-3	12	10	4	480	7.875 x 5.12 x 2.36	14.78	\$ 36.00	\$ 18.79	\$ 18.04	\$ 16.54
3M™ Fire Barrier Plug PLG2	PLG2	98-0441-1002-5	0-00-76308-98126-6	4	60	5	1200	Lower Diameter 2.0 Upper Diameter 2.9 Height 2.3	1.41	\$ 35.00	\$ 18.27	\$ 17.54	\$ 16.08
3M™ Fire Barrier Plug PLG4	PLG4	98-0441-1003-3	0-00-76308-98203-4	4	36	5	720	Lower Diameter 4.0 Upper Diameter 4.5 Height 2.4	3.23	\$ 42.00	\$ 21.92	\$ 21.04	\$ 19.30
3M <sup>™</sup> Fire Barrier Plank PK39	РКЗЭ	98-0441-1001-7	0-00-76308-98231-7	3	5	7	105	39.37 x 5.12 x 2.36	19.02	\$162.00	\$ 84.56	\$ 81.16	\$ 74.42



Marketing Broadcast



ire

#### MARKETING INFORMATION:

**Blocks and Planks.** Firestopping large openings can be challenging often requiring multiple products such as chicken wire. 3M is the only company that makes Blocks, Planks, Composite Sheets, Pillows AND a Firestop Foam for the sealing of these large openings. Distributors will be able to increase sales and penetrate this market as they have not had an option to sell a brick/block-STI does not carry a brick/block. Now they can go after the Hilti contractor with a "full bag of solutions" and offer a Pillow, Composite Sheet, Firestop Foam AND a Block. Contractors now have multiple choices depending on the situation and preference. **Plugs.** 2" and 4" Plugs are a convenient method of firestopping 2" and 4" diameter openings for either temporary or permanent firestopping.

### APPLICATIONS:





Marketing Broadcast

### COMPETITION:

# Large Openings Solutions: 3M Vs Hilti



# Large Openings Solutions: 3M Vs STI





Marketing Broadcast

VALUE PROPOSITION:	Blocks and Planks.
	1. No wire mesh. STACK, SEAL, DONE.
	2. Strong UL systems. Up to 36" x 36" openings, multiple cable trays.
	3. No tools.
	4. 3M Block 18% larger in cubic volume compared to Hilti Brick.
	Plugs.
	1. No tools.
	2. Insert Plug and <u><b>DONE</b></u> .
TECHNICAL FACTS:	There are currently UL tested and listed systems for blank openings, metal pipes, cables, cable trays, insulated pipes and combinations of these. See links for specific UL systems.
SALES STRATEGY:	Convert contractors currently using Hilti Bricks and Plugs.
SALES DIRECTION:	<ol> <li>Identify Hilti contractors in your market.</li> <li>Present 3M Blocks, Plugs and Planks.</li> <li>Have FUN and start taking share from our competition! This product is a fun product to sell!</li> </ol>

3M Fire Barrs

Fire

Fire

### LITERATURE AND MARKETING COLLATERAL:

Web Page	http://solutions.3m.com/wps/portal/3M/en_US/Adhesives/Tapes/Products/~/Firestopping-Products-and-
	Systems?N= $8710079$ &rt=r3&Nao=0
Flyer	Blocks Plugs Planks Documents
Technical Data Sheet	http://gpimmediacollections.3m.com/index.php/3m/dmrweb?albumId=401194
Installation Guide	
Video	
Certificate of Conformance	
Country of Origin: TAA,BAA,ARRA	
UL Certificate of Compliance	
Press Release	
FAQ's	
Estimating Tool	
Contractor Presentation	
Specification 2010 Format	
Specification 1995 Format	
Sample Submittal Package	
Shelf Life	



Marketing Broadcast

Product and application photo	Blocks Plugs Planks Photos http://gpimmediacollections.3m.com/index.php/3m/dmrweb?albumId=416915
Safety Data Sheet	https://multimedia.3m.com/mws/SecureMediaWebServer?mwsId=SS SSSu9n_zu8m00xm8_ZMx_vmv70k17zHvu9lxtD7xtBevSSSSSS-
UL System C-AJ-0153	Blocks Plugs Planks UL Systems
UL System C-AJ-0154	http://gpimmediacollections.3m.com/index.php/3m/dmrweb?albumId=416953
UL System C-AJ-1668	
UL System C-AJ-3339	
UL System C-AJ-4109	
UL System C-AJ-8255	
UL System W-J-0025	
UL System W-J-0026	
UL System W-L-0049	
UL System W-L-0050	
UL System W-L-0051	
UL System W-L-1526	
UL System W-L-3426	
UL System W-L-8106	
UL System W-L-0xxx (Per	ding)
UL System W-L-4090	

Fire

Important Notice to User:

Technical Information: The technical information, recommendations and other statements contained in this document are based upon tests or experience that 3M believes are reliable, but the accuracy or completeness of such information is not guaranteed.

Product Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application.

Warranty and Limited Remedy: 3M warrants that each 3M Fire Protection Product will be free from defects in material and manufacture for 90 days from the date of purchase from 3M's authorized distributor. 3M MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. If a 3M product does not conform to this warranty, the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted.

Industrial Adhesives and Tapes Division St. Paul, MN 55144-1000 1-800-328-1687 www.3M.com/firestop 3M is a trademark of 3M. Used under license in Canada. All other trademarks are the property of their respective owners.