

SAFETY DATA SHEET

1. Identification

Material name: TREMGLAZE SA1100 WHITE - 30 CTG CS Material: 790806 323

Recommended use and restriction on use

Recommended use: Sealant Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

Tremco U.S Sealants 3735 Green Road Cleveland OH 44122 US

Contact person: Telephone: Emergency telephone number: EH&S Department 216-292-5000 1-800-424-9300 (US); 1-613-996-6666 (Canada)

2. Hazard(s) identification

Hazard Classification

| Health Hazards | |
|--|-------------|
| Skin sensitizer | Category 1 |
| Carcinogenicity | Category 1A |
| Unknown toxicity - Health | |
| Acute toxicity, oral | 68.65 % |
| Acute toxicity, dermal | 71.79 % |
| Acute toxicity, inhalation, vapor | 100 % |
| Acute toxicity, inhalation, dust or mist | 91.25 % |
| Environmental Hazards | |
| Acute hazards to the aquatic | Category 3 |
| environment | |
| Unknown toxicity - Environment | |
| Acute hazards to the aquatic | 96.13 % |
| Chronic hazards to the aquatic | 100 % |
| environment | 100 /0 |
| Label Elements | |

Hazard Symbol:



Signal Word:

Danger



| | Hazard Statement: | May cause an allergic skin reaction. May cause cancer. Harmful to aquatic life. |
|---|---|---|
| | Precautionary Statement: Prevention: | Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. |
| | Response: | IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. If exposed or concerned: Get medical advice/attention. Specific treatment (see this label). Wash contaminated clothing before reuse. |
| | Storage: | Store locked up. |
| | Disposal: | Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. |
| - | nazards which do not n GHS classification: | None. |

3. Composition/information on ingredients

Mixtures

Other result

| Chemical Identity | CAS number | Content in percent (%)* |
|---|------------|-------------------------|
| Calcium Carbonate (Limestone) | 1317-65-3 | 40 - 70% |
| White mineral oil | 8042-47-5 | 3 - 7% |
| Titanium dioxide | 13463-67-7 | 1 - 5% |
| Crystalline Silica (Quartz)/ Silica Sand | 14808-60-7 | 0.1 - 1% |
| Amorphous silica | 7631-86-9 | 0.1 - 1% |
| Aluminum oxide | 1344-28-1 | 0.1 - 1% |
| Chlorothalonil | 1897-45-6 | 0.1 - 1% |
| Ammonium hydroxide | 1336-21-6 | 0.1 - 1% |

All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures Ingestion: Call a POISON CENTER/doctor/.../if you feel unwell. Rinse mouth. Inhalation: Move to fresh air. Skin Contact: If skin irritation occurs: Get medical advice/attention. Destroy or thoroughly clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention.



| Eye contact: | Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention. | | | | |
|--|---|--|--|--|--|
| Most important symptoms/effect | Most important symptoms/effects, acute and delayed | | | | |
| Symptoms: | May cause skin and eye irritation. | | | | |
| Indication of immediate medical a | ttention and special treatment needed | | | | |
| Treatment: | Symptoms may be delayed. | | | | |
| 5. Fire-fighting measures | | | | | |
| General Fire Hazards: | No unusual fire or explosion hazards noted. | | | | |
| Suitable (and unsuitable) ex | xtinguishing media | | | | |
| Suitable extinguishing media: | Use fire-extinguishing media appropriate for surrounding materials. | | | | |
| Unsuitable extinguishing media: | Do not use water jet as an extinguisher, as this will spread the fire. | | | | |
| Specific hazards arising from the chemical: | During fire, gases hazardous to health may be formed. | | | | |
| Special protective equipment an | d precautions for firefighters | | | | |
| Special fire fighting procedures: | No data available. | | | | |
| Special protective equipment for fire-fighters: | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. | | | | |
| 6. Accidental release measures | S | | | | |
| Personal precautions, protective equipment and emergency procedures: | See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. | | | | |
| Methods and material for containment and cleaning up: | Collect spillage in containers, seal securely and deliver for disposal according to local regulations. | | | | |
| Notification Procedures: | In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. | | | | |
| Environmental Precautions: | Avoid release to the environment. Prevent further leakage or spillage if safe to do so. | | | | |



7. Handling and storage

| Precautions for safe handling: | Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact with eyes, skin, and clothing. Wash hands thoroughly after handling. Ventilate well, avoid breathing vapors. Use approved respirator if air contamination is above accepted level. Use mechanical ventilation in case of handling which causes formation of dust. |
|---|---|
| Conditions for safe storage, including any incompatibilities: | Store locked up. |

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

| Chemical Identity | type | Exposure Limit Values | Source |
|---|------|---|---|
| Calcium Carbonate (Limestone) - Total dust. | PEL | 15 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Calcium Carbonate (Limestone) - Respirable fraction. | PEL | 5 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| White mineral oil - Inhalable fraction. | TWA | 5 mg/m3 | US. ACGIH Threshold Limit Values (2011) |
| White mineral oil - Mist. | PEL | 5 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Titanium dioxide | TWA | 10 mg/m3 | US. ACGIH Threshold Limit Values (2011) |
| Titanium dioxide - Total dust. | PEL | 15 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction. | TWA | 0.025 mg/m3 | US. ACGIH Threshold Limit Values (2011) |
| Crystalline Silica (Quartz)/ Silica Sand - Respirable. | TWA | 2.4 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000) (2000) |
| | TWA | 0.1 mg/m3 | US. OSHA Table Z-3 (29 CFR 1910.1000) (2000) |
| Crystalline Silica (Quartz)/ Silica Sand - Total dust. | TWA | 0.3 mg/m3 | US. OSHA Table Z-3 (29 CFR 1910.1000) (2000) |
| Amorphous silica | TWA | 20 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000) (2000) |
| | TWA | 0.8 mg/m3 | US. OSHA Table Z-3 (29 CFR 1910.1000) (2000) |
| Aluminum oxide - | TWA | 1 mg/m3 | US. ACGIH Threshold Limit Values |



| Respirable fraction. | | | | (2011) |
|------------------------|------|--------|----------|--|
| | PFI | | 5 mg/m3 | US. OSHA Table Z-1 Limits for Air |
| | | | | Contaminants (29 CFR 1910.1000) (02 2006) |
| Aluminum oxide - Total | PEL | | 15 mg/m3 | US. OSHA Table Z-1 Limits for Air |
| dust. | | | | Contaminants (29 CFR 1910.1000) |
| | | | | (02 2006) |
| Ammonium hydroxide | STEL | 35 ppm | | US. ACGIH Threshold Limit Values |
| | | | | (2011) |
| | TWA | 25 ppm | | US. ACGIH Threshold Limit Values |
| | | | | (2011) |
| | PEL | 50 ppm | 35 mg/m3 | US. OSHA Table Z-1 Limits for Air |
| | | | - | Contaminants (29 CFR 1910.1000) |
| | | | | (02 2006) |

| Chemical name | type | Exposure Limit Values | Source |
|--|-------|-----------------------|---|
| Calcium Carbonate (Limestone) - Total dust. | STEL | 20 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| | TWA | 10 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Calcium Carbonate (Limestone) - Respirable fraction. | TWA | 3 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Calcium Carbonate (Limestone) - Total dust. | TWA | 10 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008) |
| White mineral oil - Mist. | TWA | 1 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| White mineral oil - Mist. | TWAEV | 5 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010) |
| | STEL | 10 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010) |
| White mineral oil - Mist. | TWA | 5 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008) |
| | STEL | 10 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008) |



| Titanium dioxide - Total dust. | TWA | 10 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
|---|-------|----------------|---|
| Titanium dioxide - Respirable fraction. | TWA | 3 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Titanium dioxide | TWAEV | 10 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010) |
| Titanium dioxide - Total dust. | TWA | 10 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008) |
| Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction. | TWA | 0.025 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Crystalline Silica (Quartz)/ Silica Sand - Respirable. | TWAEV | 0.10 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010) |
| Crystalline Silica (Quartz)/ Silica Sand - Respirable dust. | TWA | 0.1 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008) |

Appropriate Engineering Controls

Mechanical ventilation or local exhaust ventilation may be required. Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of dust.

Individual protection measures, such as personal protective equipment

| General information: | Use personal protective equipment as required. |
|-------------------------------------|---|
| Eye/face protection: | Wear goggles/face shield. |
| Skin Protection Hand Protection: | Use suitable protective gloves if risk of skin contact. |
| Other: | Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information. |
| Respiratory Protection: | In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor. |
| Hygiene measures: | Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin. |
| | |

9. Physical and chemical properties



Appearance

| Physical state: | solid |
|--|---|
| Form: | Paste |
| Color: | White |
| Odor: | Mild |
| Odor threshold: | No data available. |
| pH: | No data available. |
| Melting point/freezing point: | No data available. |
| Initial boiling point and boiling range: | No data available. |
| Flash Point: | No data available. |
| Evaporation rate: | Slower than Ether |
| Flammability (solid, gas): | No |
| Upper/lower limit on flammability or explosive | ve limits |
| Flammability limit - upper (%): | No data available. |
| Flammability limit - lower (%): | No data available. |
| Explosive limit - upper (%): | No data available. |
| Explosive limit - lower (%): | No data available. |
| Vapor pressure: | No data available. |
| Vapor density: | Vapors are heavier than air and may travel along the floor and in the bottom of containers. |
| Relative density: | 1.60 |
| Solubility(ies) | |
| Solubility in water: | Miscible with water. |
| Solubility (other): | No data available. |
| Partition coefficient (n-octanol/water): | No data available. |
| Auto-ignition temperature: | No data available. |
| Decomposition temperature: | No data available. |
| Viscosity: | No data available. |
| | |

10. Stability and reactivity

| Reactivity: | No data available. |
|--|--|
| Chemical Stability: | Material is stable under normal conditions. |
| Possibility of hazardous reactions: | No data available. |
| Conditions to avoid: | Avoid heat or contamination. |
| Incompatible Materials: | Strong acids. Avoid contact with oxidizing agents (e.g. nitric acid, peroxides and chromates). Strong bases. |
| Hazardous Decomposition Products: | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. |
| 11 Toxicological information | . |

11. Toxicological information

Information on likely routes of exposure



| Inhalation: | In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes. |
|---------------|---|
| Skin Contact: | Causes mild skin irritation. May cause an allergic skin reaction. |
| Eye contact: | Eye contact is possible and should be avoided. |

Information on toxicological effects

| Acute toxicity (list all possible routes of exposure) | | |
|---|---------------------------------|--|
| Oral Product: | ATEmix: 29,211.91 mg/kg | |
| Dermal Product: | ATEmix: 6,631.16 mg/kg | |
| Inhalation Product: | No data available. | |
| Repeated dose toxicity Product: | No data available. | |
| Skin Corrosion/Irritation Product: | No data available. | |
| Serious Eye Damage/Eye Irritatio Product: | on No data available. | |
| Specified substance(s): | | |

| Specified substance(s): White mineral oil | in vivo (Rabbit, 24 - 72 hrs): Not irritating |
|--|---|
| Titanium dioxide | in vivo (Rabbit, 24 - 72 hrs): Not irritating |
| Amorphous silica | in vivo (Rabbit, 24 hrs): Not irritating |
| Aluminum oxide | in vivo (Rabbit, 24 hrs): Not irritating |
| Ammonium hydroxide | Severely Irritating |

Respiratory or Skin Sensitization Product: No

No data available.

Carcinogenicity Product:

No data available.



IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

| | Titanium diox | ide | Overall evaluation: Possibly carcinogenic to humans. |
|---|--|------------|---|
| | Crystalline Sil (Quartz)/ Silic Sand | | Overall evaluation: Carcinogenic to humans. |
| | Chlorothaloni | l | Overall evaluation: Possibly carcinogenic to humans. |
| US. Nationa | l Toxicology l | | n (NTP) Report on Carcinogens: |
| | Crystalline (Quartz)/ Sand | | Known To Be Human Carcinogen. |
| US. OSHA S | | | Substances (29 CFR 1910.1001-1050): ponents identified |
| Germ Cell M | lutagenicity | | |
| In vitro Produ | ct: | | No data available. |
| In vivo Produ | ct: | | No data available. |
| Reproductiv Produc | • | | No data available. |
| Specific Target Organ Toxicity - Single Exposure Product: No data available. | | | |
| Specific Tar Produc | | xicity - I | Repeated Exposure No data available. |
| Aspiration H Produc | | | No data available. |
| Other effec | ts: | | No data available. |

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish Product:

No data available.



| Specified substance(s): Titanium dioxide | LC 50 (Mummichog (Fundulus heteroclitus), 96 h): > 1,000 mg/l Mortality |
|--|--|
| Chlorothalonil | LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 96 h): 0.018 mg/l Mortality |
| Ammonium hydroxide | LC 50 (Western mosquitofish (Gambusia affinis), 96 h): 15 mg/l Mortality |
| Aquatic Invertebrates Product: | No data available. |
| Specified substance(s): Titanium dioxide | EC 50 (Water flea (Daphnia magna), 48 h): > 1,000 mg/l Intoxication |
| Chlorothalonil | LC 50 (Water flea (Daphnia magna), 48 h): 0.151 - 0.253 mg/l Mortality LC 50 (Water flea (Moina macrocopa), 3 h): > 10 mg/l Mortality LC 50 (Amphipod (Neoniphargus), 7 d): > 0.04 mg/l Mortality LC 50 (Amphipod (Neoniphargus), 4 d): > 0.04 mg/l Mortality LC 50 (Isopod (Colubotelson chiltoni minor), 4 d): > 0.04 mg/l Mortality |
| Ammonium hydroxide | LC 50 (Water flea (Daphnia magna), 25 h): 60 mg/l Mortality LC 50 (Water flea (Ceriodaphnia dubia), 48 h): > 0 - 10 mg/l Mortality |

Chronic hazards to the aquatic environment:

| Fish Product: | No data available. |
|--|--|
| Specified substance(s): White mineral oil | NOAEL (Oncorhynchus mykiss, 28 d): >= 1,000 mg/l QSAR |
| Titanium dioxide | LC 0 (Coregonus autumnalis migratorius G., 30 d): 3 mg/l experimental result |
| Aluminum oxide | NOAEL (Pimephales promelas, 28 d): 4.7 mg/l experimental result |
| Aquatic Invertebrates Product: | No data available. |
| Toxicity to Aquatic Plants Product: | No data available. |
| Persistence and Degradability | |
| Biodegradation Product: | No data available. |
| BOD/COD Ratio Product: | No data available. |
| Bioaccumulative Potential Bioconcentration Factor (BC Product: | CF) No data available. |



| Specified substance(s): Chlorothalonil | Algae, algal mat (Algae), Bioconcentration Factor (BCF): 271 (Static) |
|---|---|
| Partition Coefficient n-octa Product: | n ol / water (log Kow) No data available. |
| Mobility in Soil: | No data available. |
| Other Adverse Effects: | Harmful to aquatic organisms. |
| 13. Disposal considerations | |
| Disposal instructions: | Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. |
| Contaminated Packaging: | No data available. |
| 14. Transport information | |
| TDG: | |
| Not Regulated | |
| CFR / DOT: | |
| Not Regulated | |
| IMDG: | |
| Not Regulated | |
| 15. Regulatory information | |
| US Federal Regulations | |
| | lotification (40 CFR 707, Subpt. D) |

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

| OSHA hazard(s) |
|------------------------------|
| Acute toxicity |
| Skin irritation |
| Skin sensitization |
| Flammability |
| respiratory tract irritation |
| Respiratory sensitization |
| Cancer |
| Eye irritation |
| |



CERCLA Hazardous Substance List (40 CFR 302.4):

| Chemical Identity | Reportable quantity |
|--------------------|---------------------|
| Ammonium hydroxide | 1000 lbs. |
| Formaldehyde | 100 lbs. |
| Ethyl alcohol | 100 lbs. |
| Ammonia | 100 lbs. |

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard

SARA 302 Extremely Hazardous Substance

| - | Reportable | |
|-------------------|-------------------|-----------------------------|
| Chemical Identity | quantity | Threshold Planning Quantity |
| Formaldehyde | 100 lbs. | 500 lbs. |
| Ammonia | 100 lbs. | 500 lbs. |

SARA 304 Emergency Release Notification

| Chemical Identity | Reportable quantity |
|--------------------|---------------------|
| Ammonium hydroxide | 1000 lbs. |
| Formaldehyde | 100 lbs. |
| Ethyl alcohol | 100 lbs. |
| Ammonia | 100 lbs. |

SARA 311/312 Hazardous Chemical

Chemical Identity Threshold Planning Quantity

| Formaldehyde | 500lbs |
|------------------------------|---------|
| Ammonia | 500lbs |
| Calcium Carbonate | 500 lbs |
| (Limestone) | |
| White mineral oil | 500 lbs |
| Titanium dioxide | 500 lbs |
| Crystalline Silica (Quartz)/ | 500 lbs |
| Silica Sand | |
| Amorphous silica | 500 lbs |
| Aluminum oxide | 500 lbs |
| Chlorothalonil | 500 lbs |
| Ammonium hydroxide | 500 lbs |
| | |

SARA 313 (TRI Reporting) Chemical Identity

Chlorothalonil

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

| Chemical Identity | Reportable quantity |
|-------------------|---------------------|
| Formaldehyde | 15000 lbs |
| Ammonia | 10000 lbs |
| Ammonia | 20000 lbs |

US State Regulations



US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Calcium Carbonate (Limestone) White mineral oil Titanium dioxide

US. Massachusetts RTK - Substance List

<u>Chemical Identity</u> Calcium Carbonate (Limestone) White mineral oil Titanium dioxide Crystalline Silica (Quartz)/ Silica Sand Chlorothalonil Formaldehyde Ammonia

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Calcium Carbonate (Limestone) White mineral oil Titanium dioxide

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

Other Regulations:

| Regulatory VOC (less water | 14 g/l |
|----------------------------|--------|
| and exempt solvent): | |
| VOC Method 310: | 0.65 % |

Inventory Status:

Australia AICS:

Canada DSL Inventory List:

EINECS, ELINCS or NLP:

Japan (ENCS) List:

China Inv. Existing Chemical Substances:

Korea Existing Chemicals Inv. (KECI):

One or more components in this product are not listed on or exempt from the Inventory.

All components in this product are listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.

One or more components in this product are not listed on or exempt from the Inventory.



| Canada NDSL Inventory: | One or more components in this product are not listed on or exempt from the Inventory. |
|-------------------------------------|--|
| Philippines PICCS: | One or more components in this product are not listed on or exempt from the Inventory. |
| US TSCA Inventory: | All components in this product are listed on or exempt from the Inventory. |
| New Zealand Inventory of Chemicals: | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan ISHL Listing: | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan Pharmacopoeia Listing: | One or more components in this product are not listed on or exempt from the Inventory. |

16.Other information, including date of preparation or last revision

| Revision Date: | 10/30/2015 |
|----------------------|---|
| Version #: | 1.0 |
| Further Information: | No data available. |
| Disclaimer: | For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition. |