

# CORE PRODUCTS BROCHURE



**GENERAL**  
INSULATION COMPANY, INC.



**PYRAMEX**

**SafetySells@generalinsulation.com | (817) 629-7291**  
**www.generalinsulation.com**



## PERFORM AT YOUR PEAK

When a group of entrepreneurs founded Pyramex in 1991, it was rooted in a belief that the business could only grow if the customers were top priority. Nearly 30 years later, that level of intention has earned Pyramex more than 2,500 distributors in 65 countries. Your feedback ensures our product line is not only innovative and stylish, but upholds a high standard of workmanship that reflects your work ethic. Our founders knew that to serve our customers well meant to readily adapt to their business needs. That's why we're constantly evolving to make life easier for you. When you call Pyramex, you'll always talk with a specialist. The same goes for our new non-automated live web chat. We take pride in your safety so you can take pride in your work and Perform at Your Peak.

## THE PYRAMEX PROMISE

At Pyramex, our promise to our customers is to provide the best possible products, the best possible service, and most importantly, an attitude of making our customers' lives easier on a day-to-day basis. Our values challenge us toward a commitment to truth and to deliver what we promise.

# WHAT YOU NEED TO KNOW

### EYEWEAR

The icons below and in the following pages represent some of the most requested features for safety eyewear.



ADJUSTABLE  
NOSEPIECE



ADJUSTABLE  
TEMPLES



CO-INJECTED  
TEMPLES



DIELECTRIC



DUAL PANE  
LENS



FOAM  
PADDING



INCLUDES  
STRAP



LOCKING  
TEMPLE



MULTI  
LENSES



POLARIZED  
OPTION



RATCHETING  
TEMPLES



RUBBER  
NOSEPIECE



RUBBER  
TIPS



VENTED  
FRAME



VENTED  
LENS

### H2MAX Anti-fog Coating


The innovative technology behind the H2MAX creates a high performing, superior anti-fog coating that is durable enough to withstand repeated cleanings without losing adhesion. Not only does this premium treatment ensure maximum clarity in the most extreme temperature and humid conditions, but it also adds a layer to the lens that is abrasion and chemical resistant. The H2MAX anti-fog coating is made from non-hazardous environmental components. Coating resists scratching from steel wool up to 100g weight. H2MAX passes ANSI Z87.1 standards, CE standards for N and K, and Canadian certification CAN/CSA Z94.3.

### H2X Anti-fog Coating


H2X provides anti-fog, anti-scratch, and anti-static protection. Even after repeated cleanings, H2X will continue to be effective because, the coating is bonded to the lenses. The H2X anti-fog coating is made from non-hazardous environmental components. Coating is waterproof with excellent scratch resistance. H2X passes ANSI Z87.1 standards and Canadian certification CAN/CSA Z94.3.

## CERTIFICATIONS


### Headgear Certifications

ANSI Z89.1 (hard hats)	●
ANSI Z87.1 (brackets and face shields)	●
ANSI Z87.1+ (polycarbonate face shields)	●
Cert. Mod. - CAN/CSA Z94.1-15 	●

### Eyewear Certifications

ANSI Z87.1+ High Impact	●
CE EN166	●
Cert. Mod. - CAN/CSA Z94.3-15 	●
AS/NZS 1337	●
MIL-PRF-32432 High Velocity Impact Standards	●

### Welding Helmet Certifications

ANSI Z87.1 +	●
CE EN175: 1997 (shells)	●
CE EN379: 2009-07 (filters)	●
CE EN166: 2001 (cover plates)	●
Cert. Mod. - CAN/CSA Z94.3-15 	●

### Hi-vis Work Wear Certifications

ANSI/ISEA 107-2015	●
Cert. Mod. - CAN/CSA Z96.15 	●

### Glove Certifications


ANSI/ISEA 105-2016	●
EN388:2003	●
EN388:2016	●

### Hearing Certifications

ANSI S3.19	●
CE EN 352:2002	●

## HI-VIS WORK WEAR

The icons below and in the following pages represent some of the most requested features for hi-vis work wear.



## HEADGEAR

### Ridgeline Hard Hats & Bump Caps

Quality head protection is a staple in a number of work environments. Select a brand you can trust – Pyramex Safety Ridgeline®— for expertly designed, high-performing hard hats and bump caps. Find what you need for everything from general all-purpose work use to conductive fieldwork settings.

### SL Series Hard Hats & Baseball Bump Caps

Whether you need head protection with classic safety features or style with a little added protection, you can find what you're looking for with SL Series hard hats. The ultra-customizable SL Series Cap Style has four different suspension and adjustment combinations to meet your specific needs, while the Sleek Shell provides protection for those who prefer safety features at face value with a mold designed to fit tight areas. Baseball Bump Cap's outer cap is fully washable for ultimate longevity.


## WELDING

### Auto-Darkening Helmets

Auto-darkening helmets are designed for maximum efficiency— and maximum safety. Designed to darken instantaneously at the light of a welding torch and clear up when the torch is turned off. The variable shade is intended to eliminate the process of lifting and lowering the helmet in order to see. Because an inactive lens often rests at either shade 3 or 4, seeing and starting the arc while still staying protected is easy. Auto-darkening helmets run off of solar power and batteries.

## HEARING

The icons below and in the following pages represent some of the most requested features for hearing protection.



## GLOVES

### Dipped Glove Sizing

The sizing of dipped gloves is represented by the colors listed.

 Small [7]	 X-Large [10]
 Medium [8]	 2X-Large [11]
 Large [9]	

### Nitrile

Latex alternative // Absorbs oil // Outstanding grip

### Latex

Flexibility in extreme temperatures // Tear resistant // Suited for wet and dry conditions

### Polyurethane

Excellent value work glove // Low particulate shed // Tactile sensitivity and dexterity

EYEWEAR



Ever-Lite® ANSI • CE • CSA •



RUBBER NOSEPIECE



CO-INJECTED TEMPLES

Soft nosepiece for snug fit //  
Slim co-injected temples //  
Lightweight spectacle – 22 gm

Black Frame | 19 Variations

SB8610D	Clear
SB8610DT	Clear H2X AF
SB8610DTM	Clear H2MAX AF
SB8620D	Gray
SB8620DT	Gray H2X AF
SB8620DTM	Gray H2MAX AF
SB8623D	Dark Gray
SB8623DT	Dark Gray H2X AF

SB8624D	Photochromic
SB8625DTM	Light Gray H2MAX AF
SB8630D	Amber
SB8650SF	5.0 IR Filter
SB8660D	Infinity Blue
SB8660DT	Infinity Blue H2X AF
SB8660DTM	Infinity Blue H2MAX AF
SB8660SF	3.0 IR Filter

SB8665D	Ice Blue Mirror
SB8680D	I/O Mirror
SB8680DT	I/O Mirror AF

**i** Photochromic lens changes from clear to dark, after exposed to direct UV light. Changes from dark to clear, after removed from UV light. Ever-Lite Readers on page 88.



PMXTREME® ANSI • CE •



RUBBER NOSEPIECE



INCLUDES STRAP



RUBBER TIPS

Built-in rubber nosepiece //  
Ventilated flexible temples with rubber temple tips //  
Includes black lanyard cord

Black Frame with Cord | 11 Variations

SB6310SP	Clear
SB6310STP	Clear AF
SB6320SP	Gray
SB6320STP	Gray AF
SB6330SP	Amber
SB6345SP	Ice Orange Mirror
SB6360SP	Infinity Blue
SB6370SP	Silver Mirror
SB6375SP	Blue Mirror
SB6376SP	Smoke Green Mirror
SB6380SP	I/O Mirror

Camo Frame with Cord | 3 Variations

SCM6310STP	Clear AF
SCM6318STP	Sandstone Bronze AF
SCM6320STP	Gray AF

Red Frame with Cord | 1 Variation

SR6320SP	Gray
----------	------

**i** PMXTREME Readers on page 89.



SCM63



SR63



## Venture II®

ANSI • CE • CSA • Ballistic •



RUBBER NOSEPIECE



ADJUSTABLE TEMPLES

Temples adjust to four different lengths // Rubber nosepiece secures the glass and prevents slipping // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards



### Black Frame | 15 Variations

SB1810S	• • • • •	Clear
SB1810ST	• • • • •	Clear <b>H2X AF</b>
SB1820S	• • • • •	Gray
SB1820ST	• • • • •	Gray <b>H2X AF</b>
SB1830S	• • • • •	Amber
SB1835S	• • • • •	Sun Block Bronze
SB1840S	• • • • •	Orange
SB1850SF	• • • • •	5.0 IR Filter
SB1860S	• • • • •	Infinity Blue
SB1860SF	• • • • •	3.0 IR Filter
SB1870S	• • • • •	Silver Mirror
SB1875S	• • • • •	Blue Mirror
SB1880S	• • • • •	I/O Mirror
SB1880ST	• • • • •	I/O Mirror AF
SB1890S	• • • • •	Gold Mirror

### Realtree Hardwoods HD® Frame | 3 Variations

SH1810S	• • • • •	Clear
SH1820S	• • • • •	Gray
SH1830S	• • • • •	Amber

### Metallic Blue Frame | 3 Variations

SMB1810S	• • • • •	Clear
SMB1820S	• • • • •	Gray
SMB1880S	• • • • •	I/O Mirror

### Maroon Frame | 1 Variation

SMM1810S	• • • • •	Clear
----------	-----------	-------

### Slate Gray Frame | 1 Variation

SSG1810S	• • • • •	Clear
----------	-----------	-------



SH18



SMB18



SMM18



SSG18

## Venture 3®

ANSI • CE • CSA • AS • Ballistic •



VENTED FRAME



ADJUSTABLE NOSEPIECE



ADJUSTABLE TEMPLES



CO-INJECTED TEMPLES

Soft, adjustable nosepiece // Ventilated frame // Adjustable co-injected rubber temples // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards



### Black Frame | 12 Variations

SB5710D	• • • • •	Clear
PYSB5710D*	• • • • •	Clear
SB5710DT	• • • • •	Clear <b>H2X AF</b>
SB5710DTM	• • • • •	Clear <b>H2MAX AF</b>
SB5720D	• • • • •	Gray
SB5720DT	• • • • •	Gray <b>H2X AF</b>
SB5730D	• • • • •	Amber
PYSB5730D*	• • • • •	Amber
SB5750SFT	• • • • •	5.0 IR Filter <b>H2X AF</b>
SB5760D	• • • • •	Infinity Blue
SB5770D	• • • • •	Silver Mirror
SB5780D	• • • • •	I/O Mirror

EYEWEAR

Sitecore™ ANSI • CE • CSA •



RUBBER NOSEPIECE



RATCHETING TEMPLES



ADJUSTABLE TEMPLES

Built-in rubber nosepiece // Flexible and ventilated temples // Ratcheting temples // Temples adjust to three different lengths

Black and Gray Frame | 6 Variations

SBG10110D	••	Clear
SBG10110DTM	••	Clear <b>H2MAX</b> AF
SBG10120D	••	Gray
SBG10120DTM	••	Gray <b>H2MAX</b> AF
SBG10130D	••	Amber
SBG10180D	••	I/O Mirror

Gray and Lime Frame | 5 Variations

SGL10110D	•••	Clear
SGL10110DTM	•••	Clear <b>H2MAX</b> AF
SGL10120D	•••	Gray
SGL10120DTM	•••	Gray <b>H2MAX</b> AF
SGL10180D	•••	I/O Mirror



SGL101

Rendezvous® ANSI • CE • Ballistic •



ADJUSTABLE NOSEPIECE



ADJUSTABLE TEMPLES



RATCHETING TEMPLES

Adjustable nosepiece // Temples adjust to four different lengths // Lens angle aligns to proper position for work application with ratcheting lens pitch adjustment // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Black Frame | 10 Variations

SB2810S	•••	Clear
SB2810ST	•••	Clear <b>H2X</b> AF
SB2820S	•••	Gray
SB2820ST	•••	Gray <b>H2X</b> AF
SB2830S	•••	Amber
SB2840S	•••	Orange
SB2860S	•••	Infinity Blue
SB2860ST	•••	Infinity Blue <b>H2X</b> AF
SB2870S	•••	Silver Mirror
SB2880S	•••	I/O Mirror

Crystal Blue Frame | 1 Variation

SCB2810S	••	Clear
----------	----	-------

Crystal Clear Frame | 2 Variations

SCC2810S	••	Clear
SCC2810ST	••	Clear <b>H2X</b> AF

Crystal Gray Frame | 1 Variation

SCG2810ST	••	Clear <b>H2X</b> AF
-----------	----	---------------------



SCB28



SCC28



SCG28

**Velar™** ANSI • CSA •RUBBER  
NOSEPIECECO-INJECTED  
TEMPLESBuilt-in rubber nosepiece //  
Co-injected rubber temples**Black Frame | 3 Variations**

	SB10410D ••	Clear
	SB10420D ••	Gray
	SB10465D ••	Ice Blue Mirror

**Black and Red Frame | 1 Variation**

	SBRF10445D ••	Ice Orange Mirror
--	---------------	-------------------

**White and Blue Frame | 1 Variation**

	SWBL10465D ••	Ice Blue Mirror
--	---------------	-----------------

**White and Red Frame | 1 Variation**

	SWR10455D ••	Sky Red Mirror
--	--------------	----------------



SBRF104



SWBL104



SWR104

**Outlander®** ANSI •RUBBER  
NOSEPIECEDual lens style with wide temples //  
Soft nosepiece**Black Frame | 4 Variations**

	SB8010D •	Clear
	SB8020D •	Gray
	SB8065D •	Ice Blue Mirror
	SB8070D •	Silver Mirror

**Furix®** ANSI •Lightweight contemporary frame //  
Straight back temples**Black Frame | 4 Variations**

	SB8510DT •	Clear AF
	SB8515DT •	Coffee AF
	SB8520DT •	Gray AF
	SB8575DT •	Blue Mirror AF

**Goliath®** ANSI • CE • CSA • AS •CO-INJECTED  
TEMPLESPOLARIZED  
OPTIONCo-injected  
rubber temples**Black Frame | 9 Variations**

	SB5610D •••	Clear
	SB5610DT •	Clear H2X AF
	SB5620D •••	Gray
	SB5620DT •••	Gray H2X AF
	SB5621D ••••	Polarized Gray
	SB5645D •••	Ice Orange Mirror
	SB5665D ••••	Ice Blue Mirror
	SB5670D •••	Silver Mirror
	SB5680D •	I/O Mirror

**White Frame | 3 Variations**

	SW5620D ••••	Gray
	SW5655D •••	Sky Red Mirror
	SW5665D ••••	Ice Blue Mirror



SW56

EYEWEAR

Ztek® ANSI • CE • CSA •



RUBBER  
TIPS

Integrated nosepiece // Soft non-slip  
rubber temple tips provide non-binding fit

Lens and Temples | 18 Variations

	S2510S •••	Clear
	S2510ST •••	Clear <b>H2X</b> AF
	S2514S •••	1.5 IR Filter
	S2515S •••	Coffee
	S2520S •••	Gray
	S2520ST •••	Gray <b>H2X</b> AF
	S2530S •••	Amber
	S2540S •••	Orange
	S2550SF •••	5.0 IR Filter
	S2560S •••	Infinity Blue
	S2560SF •••	3.0 IR Filter
	S2560ST •••	Infinity Blue <b>H2X</b>
	S2565S •••	Purple Haze
	S2570S •••	Silver Mirror
	S2575S •••	Blue Mirror
	S2580S •••	I/O Mirror
	S2590S •••	Gold Mirror
	S25ARCS •••	Arc



Mini Ztek ANSI • CE • CSA •

Mini Ztek has all the great features of Ztek in a  
design better suited for slimmer facial sizes

Lens and Temples | 8 Variations

	S2510SN •••	Clear
	S2510SNT •••	Clear <b>H2X</b> AF
	S2517SN •••	Pink
	S2520SN •••	Gray
	S2530SN •••	Amber
	S2560SN •••	Infinity Blue
	S2575SN •••	Blue Mirror
	S2580SN •••	I/O Mirror

**i** Mini Ztek is about 6% smaller than the Ztek.  
S2514S is designed for peripheral personnel  
and visitors who are NOT exposed to direct IR  
radiation. S25ARCS is great for use under the  
welding helmet – allowing welder to see work  
clearly without suffering “welder’s flash burn”  
from surrounding welders.

Itek® ANSI • CE • CSA • AS • Ballistic •



RUBBER  
NOSEPIECE



CO-INJECTED  
TEMPLES

Integrated nosepiece with rubber posts  
// Soft co-injected rubber temple tips //  
Lens provides excellent side protection  
// Passes Ballistic MIL-PRF-32432 High  
Velocity Impact standards

Lens and Temples | 10 Variations

	S5810S •••••	Clear
	S5810ST •••••	Clear <b>H2X</b> AF
	S5810STM •••••	Clear <b>H2MAX</b> AF
	S5820S •••••	Gray
	S5820ST •••••	Gray <b>H2X</b> AF
	S5830S •••••	Amber
	S5860S •••••	Infinity Blue
	S5870S •••••	Silver Mirror
	S5875S •••••	Blue Mirror
	S5880S •••••	I/O Mirror





**Intruder®** ANSI • CE • CSA •

Integrated nosepiece // Lightweight  
frameless protection // Foam padding  
is available in select options

**Lens and Temples | 14 Variations**

S4110S	• • •	Clear
S4110ST	• • •	Clear AF
S4110SUC	•	Uncoated Clear
S4120S	• • •	Gray
S4120ST	• • •	Gray AF
S4130S	• • •	Amber
S4160S	• •	Infinity Blue
S4170S	• •	Silver Mirror
S4175S	• •	Blue Mirror
S4180S	• •	I/O Mirror
S4180ST	• •	I/O Mirror AF

**Foam Padded Frame | 3 Variations**

S4110STFP	•	Clear AF
S4120STFP	•	Gray AF
S4180STFP	•	I/O Mirror AF



SB41



SN41

**Black Temples | 1 Variation**

SB4110S	• •	Clear
---------	-----	-------



SR41

**Blue Temples | 1 Variation**

SN4110S	• •	Clear
---------	-----	-------

**Red Temples | 1 Variation**

SR4110S	• •	Clear
---------	-----	-------

**i** Mini Intruder is about 8% smaller than the Intruder. Intruder Readers on page 89.

**Mini Intruder** ANSI •

Mini Intruder has all the great features of Intruder in a design better suited for smaller facial size

**Lens and Temples | 5 Variations**

S4110SN	•	Clear
S4110SNT	•	Clear AF
S4120SN	•	Gray
S4130SN	•	Amber
S4180SN	•	I/O Mirror



119 mm



129mm

**Provoq®** ANSI • CSA •RUBBER  
NOSEPIECERUBBER  
TIPS

Soft nosepiece //  
Rubber temples

**Black Temples | 11 Variations**

S7210S	• •	Clear
S7210ST	• •	Clear AF
S7220S	• •	Gray
S7220ST	• •	Gray AF
S7230S	• •	Amber
S7255S	• •	Multi-Color Mirror
S7260S	• •	Infinity Blue
S7270S	• •	Silver Mirror
S7275S	• •	Blue Mirror
S7280S	• •	I/O Mirror
S7280ST	• •	I/O Mirror AF





EYEWEAR



I-Force® and I-Force Slim

ANSI • CE • CSA • AS • Ballistic •



DUAL PANE LENS



FOAM PADDING



INCLUDES STRAP



VENTED FRAME

Dual pane lens // Outer polycarbonate lens protects against the environment, while inner acetate lens prevents fogging // Outside lens is coated with anti-fog treatment // Quick release interchangeable temples and strap // Removable vented flame resistant foam carriage // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

I-Force  
Black Frame | 4 Variations

- |           |           |                               |
|-----------|-----------|-------------------------------|
| SB7010SDT | • • • • • | Clear Dual Pane <b>H2X</b> AF |
| SB7020SDT | • • • • • | Gray Dual Pane <b>H2X</b> AF  |
| SB7030SDT | • • • • • | Amber Dual Pane <b>H2X</b> AF |
| SB7080SDT | • • • • • | I/O Mirror Dual Pane AF       |

**i** I-Force Slim is about 6% smaller than the I-Force.



I-Force Slim  
Black Frame | 3 Variations

- |            |           |                               |
|------------|-----------|-------------------------------|
| SB7010SDNT | • • • • • | Clear Dual Pane <b>H2X</b> AF |
| SB7020SDNT | • • • • • | Gray Dual Pane <b>H2X</b> AF  |
| SB7080SDNT | • • • • • | I/O Mirror Dual Pane AF       |



148 mm



157 mm



**WATCH THE VIDEO**  
Vimeo.com/Pyramex/I-Force



Torser™ ANSI • CE • CSA •



DIELECTRIC

Dielectric // Flexible rubber gasket // Ratchet elastic headband with quick-fit retainer // Passes D3: Droplet and Splash Test – provides protection from droplets and splashes // Passes D4: Dust Test – provides protection from dust particles

Black Body | 3 Variations

- |           |           |                            |
|-----------|-----------|----------------------------|
| GB10010TM | • • • • • | Clear <b>H2MAX</b> AF      |
| GB10020TM | • • • • • | Gray <b>H2MAX</b> AF       |
| GB10025TM | • • • • • | Light Gray <b>H2MAX</b> AF |





## Isotope™ ANSI • CE • CSA • Ballistic •



DIELECTRIC

RUBBER  
NOSEPIECEINCLUDES  
STRAPADJUSTABLE  
TEMPLES

Dielectric // Interchangeable temples and neoprene strap // Temples adjust to three different lengths // Dual frame design features a rubber gasket // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards when worn with strap // Passes D3: Droplet and Splash Test when worn with strap



### WATCH THE VIDEO

Vimeo.com/Pyramex/Isotope

#### Black Frame | 4 Variations

GB9410STM	● ● ● ● ●	Clear <b>H2MAX</b> AF
GB9420STM	● ● ● ● ●	Gray <b>H2MAX</b> AF
GB9430STM	● ● ● ● ●	Amber <b>H2MAX</b> AF
GB9480ST	● ● ● ● ●	I/O Mirror AF



## Fyxate™ ANSI • CSA •



DIELECTRIC

FOAM  
PADDINGRUBBER  
NOSEPIECERUBBER  
TIPSINCLUDES  
STRAP

Dielectric // Rubber temple tips and nosepiece // Single wraparound lens // Flame resistant foam padding available on select options // Quick release strap available on foam padded options only

#### Lens and Temples | 5 Variations

SB10210S	● ●	Clear
SB10210ST	● ●	Clear <b>H2X</b> AF
SB10220S	● ●	Gray
SB10220ST	● ●	Gray <b>H2X</b> AF
SB10280S	● ●	I/O Mirror

#### Foam Padded | 2 Variations

SB10210STMFP	● ●	Clear <b>H2MAX</b> AF
SB10220STMFP	● ●	Gray <b>H2MAX</b> AF



## V2G® ANSI • CE • CSA • AS • Ballistic •

FOAM  
PADDINGINCLUDES  
STRAPRATCHETING  
TEMPLESVENTED  
FRAME

Flame resistant foam padding // Vented lens and frame // Interchangeable temples and strap included // Strap and temples feature ratchet adjustment with quick-fit retainer // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

#### Black Frame | 8 Variations

GB1810ST	● ● ● ● ●	Clear <b>H2X</b> AF
GB1810STM	● ● ● ● ●	Clear <b>H2MAX</b> AF
GB1820ST	● ● ● ● ●	Gray <b>H2X</b> AF
GB1820STM	● ● ● ● ●	Gray <b>H2MAX</b> AF
GB1830ST	● ● ● ● ●	Amber <b>H2X</b> AF
GB1850SFT	●	5.0 IR Filter <b>H2X</b> AF
GB1860SFT	● ● ● ● ●	3.0 IR Filter <b>H2X</b> AF
GB1880ST	● ● ● ● ●	I/O Mirror AF

EYEWEAR

Proximity® ANSI • CE • CSA •



FOAM  
PADDING



CO-INJECTED  
TEMPLES

Removable flame  
resistant foam padding //  
Lightweight spectacle –  
26.3gm // Slim  
co-injected temples



Black Frame | 6 Variations

SB9310ST	• • •	Clear <b>H2X</b> AF
SB9310STM	• • •	Clear <b>H2MAX</b> AF
SB9323ST	• •	Dark Gray <b>H2X</b> AF
SB9323STM	• •	Dark Gray <b>H2MAX</b> AF
SB9330ST	• • •	Amber <b>H2X</b> AF
SB9380ST	• • •	I/O Mirror AF

Cappture™ ANSI • CE • CSA •



DIELECTRIC

Dielectric // Fits over prescription  
glasses // Temples extend from  
browbar to avoid interference with  
prescription frame's temples //  
Rubber gasket is available in select  
options



Lens and Temples | 4 Variations

S9910ST	• • •	Clear <b>H2X</b> AF
PYS9910ST*	•	Clear <b>H2X</b> AF
S9920ST	• • •	Gray <b>H2X</b> AF
S9930ST	•	Amber <b>H2X</b> AF

Rubber Gasket | 2 Variations

S9910STMGRG	• • •	Clear <b>H2MAX</b> AF
S9920STMGRG	• •	Gray <b>H2MAX</b> AF



PMXTREME Rx ANSI •



RUBBER  
NOSEPIECE



RUBBER  
TIPS

Includes RX insert which accommodates -3.0 to  
+3.0 prescription lenses // Take insert to local  
optometrist for Rx lens installation

Black Frame | 2 Variations

SB6310STRX	•	Clear AF
SB6320STRX	•	Gray AF



PMXTREME LED ANSI • CE •



RUBBER  
NOSEPIECE



RUBBER  
TIPS

Super bright swiveling LED bulbs (three lumens  
per side) allows you to see in dark places while  
keeping your hands free // Built-in rubber nosepiece  
and rubber temples tips // The alkaline batteries  
provide up to 50 hours of use before replacing. Three  
L44 alkaline batteries per temples (six total) are  
included // Easy to use push button on/off switches  
are located at the top of each temple

Black Frame | 2 Variations

SB6310SPLED	•	Clear
SB6310STPLED	• •	Clear AF





## Emerge® ANSI • CE • CSA •



Soft nosepiece provides comfort for extended use // RX options accommodate an Rx lens to the maximum of +3 to -3 diopters // Available with a full reader +1.5 or +2.0 lens or as a prescription lens // Dual lens design with full eye protection // Plano, prescription, and full reader lens adaptable

**i** Frame must be presented to your optometrist in order to be fitted with prescription lenses.

### Black Frame | 3 Variations

SB7910DRX	• • •	Clear	
SB7910D15	• • •	Clear	+1.5 Mag
SB7910D20	• • •	Clear	+2.0 Mag

### Translucent Caramel Frame | 2 Variations

STC7910D15	•	Clear	+1.5 Mag
STC7910D20	•	Clear	+2.0 Mag



SG79



STC79

### Translucent Gray Frame | 3 Variations

SG7910DRX	• • •	Clear	
SG7910D15	• • •	Clear	+1.5 Mag
SG7910D20	• • •	Clear	+2.0 Mag



## Emerge® Plus ANSI • CSA •



RUBBER TIPS



RUBBER NOSEPIECE

Rubber temple tips // Soft nosepiece provides comfort for extended use

### Full Readers

#### Translucent Gray Frame | 7 Variations

SG9810R15	• •	Clear	+1.5 Mag
SG9810R20	• •	Clear	+2.0 Mag
SG9810R25	• •	Clear	+2.5 Mag
SG9810R30	• •	Clear	+3.0 Mag
SG9820R15	• •	Gray	+1.5 Mag
SG9820R20	• •	Gray	+2.0 Mag
SG9820R25	• •	Gray	+2.5 Mag

### Top Insert Readers

#### Translucent Gray Frame | 3 Variations

SG9810TR15	• •	Clear	+1.5 Mag
SG9810TR20	• •	Clear	+2.0 Mag
SG9810TR25	• •	Clear	+2.5 Mag

**i** The top insert reader for the Emerge Plus is strategically placed for applications in which user is frequently looking up.



LCT100 100 Individually Packaged 5x8 Cleaning Towelettes

LCTBULK 100 Individually Packaged 5x8 Cleaning Towelettes in a bag

HI-VIS WORK WEAR



RVZ21 Series ANSI •

TYPE R CLASS 2



MESH MATERIAL



ZIPPER CLOSURE

POCKETS	
1 OUT	1 IN


Hi-vis lightweight polyester mesh material

- RVZ2110 • S, M, L, XL, 2XL, 3XL, 4XL, 5XL
- RVZ2120 • S, M, L, XL, 2XL, 3XL, 4XL, 5XL



RVZ24 Series ANSI •

TYPE R CLASS 2



SOLID & MESH MATERIAL



ZIPPER CLOSURE

POCKETS	
5 OUT	3 IN

Hi-vis lightweight polyester solid material on front, mesh material on back // Mic tabs

- RVZ2410 • S, M, L, XL, 2XL, 3XL, 4XL, 5XL
- RVZ2420 • S, M, L, XL, 2XL, 3XL, 4XL, 5XL



RVHLM29 Series ANSI •

TYPE R CLASS 2



MESH MATERIAL



HOOK & LOOP

POCKETS	
0 OUT	0 IN

Hi-vis lightweight polyester mesh material

- RVHLM2910 • S, M, L, XL, 2XL, 3XL




RVZ23 Series ANSI •

TYPE R CLASS 2



MESH MATERIAL



ZIPPER CLOSURE

POCKETS	
4 OUT	2 IN


Hi-vis lightweight polyester mesh material // Mic tabs

- RVZ2310 • S, M, L, XL, 2XL, 3XL, 4XL, 5XL
- RVZ2320 • S, M, L, XL, 2XL, 3XL, 4XL, 5XL



RTS21B Series ANSI •

TYPE R CLASS 2



SOLID MATERIAL

POCKETS	
1 OUT	0 IN

Hi-vis lightweight polyester moisture-wicking t-shirt with black bottom // UPF 30 rating

- RTS2110B • M, L, XL, 2XL, 3XL, 4XL-5XL
- RTS2120B • M, L, XL, 2XL, 3XL, 4XL-5XL





## RTS21 Series ANSI •

TYPE R CLASS 2



SOLID  
MATERIAL

POCKETS	
1	0
OUT	IN

Hi-vis lightweight polyester moisture-wicking t-shirt // UPF 30 rating

- RTS2110 • M, L, XL, 2XL, 3XL, 4XL, 5XL
- RTS2120 • M, L, XL, 2XL, 3XL, 4XL, 5XL



## RLTS31 Series ANSI •

TYPE R CLASS 3



SOLID  
MATERIAL

POCKETS	
1	0
OUT	IN

Hi-vis lightweight polyester moisture-wicking long sleeve t-shirt // UPF 30 rating

- RLTS3110 • M, L, XL, 2XL, 3XL, 4XL, 5XL



## RJ31 Series ANSI •

TYPE R CLASS 3



SOLID  
MATERIAL



ZIPPER  
CLOSURE

POCKETS	
5	3
OUT	IN

Weatherproof polyester shell with zip-out polar fleece liner // Weatherproof elastic band at the waist and wrists // Concealed detachable hood // Cell phone/radio chest pocket with clear panel on outside shell // Mic tabs and pencil pocket

- RJ3110 • M, L, XL, 2XL, 3XL, 4XL, 5XL
- RJ3120 • M, L, XL, 2XL, 3XL, 4XL, 5XL



## RP31 Series ANSI •

TYPE R CLASS 3



SOLID  
MATERIAL



ZIPPER  
CLOSURE

POCKETS	
5	3
OUT	IN

Weatherproof hi-vis parka // Polyester shell with zip out polar fleece liner // Elastic band at the wrists // Concealed detachable hood with drawstring // Zipper front closure // Interior access zipper for print customization // Cell phone/radio chest pocket with clear panel and 2 mic tabs // Drawstring around bottom

- RP3110 • M, L, XL, 2XL, 3XL, 4XL, 5XL
- RP3120 • M, L, XL, 2XL, 3XL, 4XL, 5XL

## HEADGEAR



## Ridgeline® Cap Style

ANSI • CSA • [with clip only]

ABS material // Low profile design // 4-point ratchet suspension // Swinging hinge points // 4-position harness points // 6½ to 8 adjustable head size // Rear padded suspension // Vented pressure pad // Universal accessory slots // Ridgeline cap style hard hats pass reverse orientation, high temperature (HT) and low temperature (LT) // Non-vented options meet Class E, G, and C // Vented options meet Class C // Hi-vis colors have been tested for the HV mark

## 4-Point Ratchet

HP44110 • White



## Vented 4-Point Ratchet

HP44110V • White



## Ridgeline® Full Brim

ANSI • CSA •

ABS material // Ratchet suspension // 4-point ratchet suspension // Ridgeline full brim hard hats pass high temperature (HT) and low temperature (LT) // Non-vented options meet Class E, G, and C // Vented options meet Class C // Hi-vis colors have been tested for the HV mark

## 4-Point Ratchet

HP54110 • White



## WATCH THE VIDEO

Vimeo.com/Pyramex/Ridgeline



## Ridgeline® Ratchet Headgear ANSI •

Meets ANSI Z87.1+ // Constructed from durable nylon // Ratchet adjustment for easy fit // Pivoting action allows user to lift face shield while wearing // Adjustable pegs will accommodate a wide variety of face shields

HGBR •



## Polyethylene Face Shield ANSI •

Meets ANSI Z87.1 // 8" x 15" | .040" thick // Universal slots will accommodate a wide variety of headgear // Shown with HGBR - sold separately

S1010 •



## Ridgeline Hydro Dipped ANSI • CSA •

Cap Style 4-Point Ratchet

HP44117 • Matte Black Graphite Pattern



Full Brim 4-Point Ratchet

HP54117 • Matte Black Graphite Pattern



## HEADGEAR/WELDING

**SL Series Cap Style** ANSI • CSA •

Low profile design // High density polyethylene materials // Rain trough // Universal accessory slots fit cap mounted earmuffs and accessories // Available with 4- and 6-point nylon suspensions – snap lock and ratchet styles // Replaceable ratchet suspensions available // Replaceable sweat band // SL Series cap style hard hats pass for reverse orientation and low temperature (LT) // Options meet Class E, G, and C // Hi-vis colors have been tested for the HV mark // Custom imprinting available

**4-Point Ratchet****SL Series Full Brim** ANSI • CSA •

High density polyethylene materials // Available with 4- and 6-point ratchet suspensions // Replaceable suspensions and headbands available // SL Series full brim hard hats pass low temperature (LT) // Options meet Class E, G, and C // Hi-vis colors have been tested for the HV mark // Custom imprinting available

**4-Point Ratchet | 9 Variations****Baseball Bump Caps** NON-RATED

Bump cap and baseball cap in one // Reflective piping adds extra visibility // Soft inner foam cushion // Adjustable size // Polyethylene vented shell is removable and the outer cap is fully washable // Ventilation holes // Ideal for meter readers, food processors, and other industries that don't require full hard hat protection // Not designed to meet the safety standards for industrial head protection // Custom imprinting available

**4 Variations**

HP50011	Black
HP50031	Hi-vis Lime
HP50041	Hi-vis Orange
HP50065	Navy

**LEADHEAD****WHAM30 Series** ANSI • CE • CSA •

4 / 5-8 / 9-13 stepless variable shade // 3.858" x 3.425" [98 x 87 mm] view area // Manual internal controls // Four independent sensors in staggered design // Solar cells and replaceable lithium-battery // Cutting, grinding and welding modes // 1/30,000 second switch speed // 5 amps and below TIG rating // High-impact resistant nylon // Up to shade DIN16 at all times

WHAM3030AE	American Eagle
WHAM3030FL	Flame
WHAM3030FM	Fire Metal
WHAM3030GB	Glossy Black

**i** Auto-darkening helmets are suitable for all types of electro-weldings: covered electrodes, MIG/MAG, TIG/WIG, plasma welding, cutting and laser welding [only selected models with two shade ranges, i.e. 5-8 and 9-13], except for gas welding. Pyramex recommends Duracell® DL2450 replacement lithium-battery for WHAM30 and WHAD60 and Duracell® DL2032 for WHAM10.



WHAM3030FM



WHAM3030AE



WHAM3030FL



WHAM3030GB





## HEARING

**DP1000 Series** ANSI • CE •

NRR 32dB SNR 38dB

DISPOSABLE  
EARPLUG

Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DP1000 ••

**DPD1001 Series** ANSI • CE •

NRR 32dB SNR 37dB

DISPOSABLE  
EARPLUGMETAL  
DETECTABLE

Iron ball embedded in the plug for metal and magnetic detectability // Eye-catching blue color contrasts with most food products // Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

DPD1001 ••

**RP2001 Series** ANSI •

NRR 26dB

REUSABLE  
EARPLUG

Three rubber flanges form a secure seal // Reusable earplugs can be cleaned with soap and water

RP2001 •

**Amp BT™** ANSI •

NRR 26dB



Quad microphones // Bluetooth compatible // Noise suppression after 85db // Easy adjust volume and ambient noise controls // Auto shut-off after four hours // 3.5 mm AUX jack cord for use of MP3 and mobile devices // 2 AAA batteries are included // Available in a VG clamshell

VGPM30BT • Black

**PM30 Series** ANSI • CE •

NRR 26dB SNR 28dB

Height adjustment to fit all sizes // Fold-away padded headband

PM3010 ••

**PM20 Series** ANSI •

NRR 22dB

Dielectric // Lightweight and comfortable // Durable nylon headband

PM2010 •

**CM60 Series** ANSI •

NRR 27dB

Cap mounted earmuff – fits slotted hard hats // Dielectric // Easily accessible while working // Flip down over ears to use or flip up when not in use

CM6010 •



## GLOVES



**GL605 Series** CE •  
EN388:2016 4131X CE Cat.II

POLYESTER | NITRILE |  
SANDY & SMOOTH

15 gauge polyester liner // Full dipped smooth nitrile for liquid protection // Sandy nitrile palm gives outstanding grip in dry, wet and oily conditions // Tear and abrasion resistant

GL605 • S, M, L, XL, 2XL



**GL604C5 Series**  
ANSI • CE • CE Cat.II

ANSI CUT LEVEL A4 EN388:2016 4X43D EN388:2003 4543

HPPE | NITRILE | SANDY  
13 gauge cut-resistant HPPE liner // Sandy coating gives outstanding grip in dry, wet and oily conditions // Tear and abrasion resistant

GL604C5 • S, M, L, XL, 2XL



**GL603DPC5 Series**  
ANSI • CE • CE Cat.II

ANSI CUT LEVEL A4 EN388:2016 4X43D

HPPE | NITRILE | MICRO FOAM WITH DOTTED PALM  
13 gauge cut-resistant HPPE liner // Dotted palm // Reinforced thumb // Tear and abrasion resistant // Black color does not show dirt or grime // Foam nitrile absorbs oil to increase grip // Additional foam coating acts like a sponge, helps increase gripping power

GL603DPC5 • S, M, L, XL, 2XL



**GL603C5 Series**  
ANSI • CE • CE Cat.II

ANSI CUT LEVEL A4 EN388:2016 4X43D EN388:2003 4543

HPPE | NITRILE | MICRO-FOAM  
13 gauge cut-resistant HPPE liner // Tear and abrasion resistant // Black color does not show dirt or grime // Foam nitrile absorbs oil to increase grip // Additional foam coating acts like a sponge, helps increase gripping power

GL603C5 • S, M, L, XL, 2XL



**GL601 Series** CE •  
EN388:2003 4131 EN388:2016 4131X CE Cat.II

NYLON & SPANDEX | NITRILE |  
MICRO-FOAM

15 gauge nylon and spandex liner (silicone free) // Tear and abrasion resistant // Foam nitrile absorbs oil to increase grip // Additional foam coating acts like a sponge, helps increase gripping power // Offers tactile sensitivity and dexterity

GL601 • S, M, L, XL, 2XL



**GL601DP Series** CE •  
EN388:2016 4131X CE Cat.II

NYLON & SPANDEX | NITRILE |  
MICRO-FOAM WITH DOTTED PALM  
15 gauge nylon and spandex liner (silicone free) // Dotted palm // Reinforced thumb // Tear and abrasion resistant // Foam nitrile absorbs oil to increase grip // Additional foam coating acts like a sponge, helps increase gripping power // Offers tactile sensitivity and dexterity

GL601DP • S, M, L, XL, 2XL



**GL502 Series** CE •  
EN388:2016 3131X CE Cat.II

NYLON | LATEX | SANDY & SMOOTH  
13 gauge nylon liner // Waterproof // Tear and abrasion resistant // High elasticity and grip // Full dipped smooth latex for liquid protection // Sandy latex palm suited for wet and dry conditions // Flexible and durable over a wide range of temperatures

GL502 • S, M, L, XL, 2XL



**GL402C5 Series**  
ANSI • CE • CE Cat.II

ANSI CUT LEVEL A4 EN388:2003 4543 EN388:2016 4X43D

HPPE | POLYURETHANE | SMOOTH  
13 gauge cut-resistant HPPE liner // Tear and abrasion resistant // Low particulate shed // Grips well without being sticky // Offers tactile sensitivity and dexterity

GL402C5 • S, M, L, XL, 2XL





There's more to see at  
[www.generalinsulation.com](http://www.generalinsulation.com)  
[SafetySells@generalinsulation.com](mailto:SafetySells@generalinsulation.com)



**GENERAL**  
INSULATION COMPANY, INC.