

LEATHER GLOVE OFFERINGS



LEATHER TYPES



Cowhide
Great value +
Durability



Goatskin
Strong +
Comfortable



Pigskin
Stays soft after
getting wet +
Breathable


GRAIN VS SPLIT

Grain Leather

Taken from the outer layer of the hide
+ Provides products that are soft,
smooth, and flexible

Split Leather

Leather that remains after the outer
layer has been removed + Coarser,
more resistant to abrasion, and repels
water better



LEATHER PALMS



GL1001W



Select split shoulder cowhide //
Wing thumb // Rubberized safety
cuff // Gunn cut

GL1001W L – XL



GL1002W



Select split shoulder cowhide //
Wing thumb // Rubberized gauntlet
cuff // Gunn cut

GL1002W L – XL



GL1003W



Premium grain cowhide // Wing
thumb // Rubberized safety cuff //
Gunn cut

GL1003W L – XL



GL1004W



Premium grain cowhide // Wing
thumb // Rubberized gauntlet cuff
// Gunn cut

GL1004W L – XL



GL1005W



Select split shoulder cowhide //
Wing thumb // Rubberized gauntlet
cuff // Gunn cut // Full leather back

GL1005W L – XL

LEATHER DRIVERS



GL2001K

Value shoulder grain cowhide // Keystone thumb // Gunn cut // Unlined

GL2001K S – 2XL



GL2003K

Select grain shoulder cowhide // Keystone thumb // Hi-vis orange finger tips and “Watch Your Hands” logo // Gunn cut // Unlined

GL2003K S – 2XL



GL2004

Select grain shoulder cowhide // Straight thumb // Gunn cut // Unlined

GL2004 S – 2XL



GL2004K

Select grain shoulder cowhide // Keystone thumb // Gunn cut // Unlined

GL2004K S – 3XL



GL2005K

Premium grain cowhide with split leather palm patch // Keystone thumb // Gunn cut // Unlined

GL2005K S – 2XL



GL3001K

Select grain goatskin // Keystone thumb // Gunn cut // Unlined

GL3001K S – 2XL



GL2006K

Value shoulder grain cowhide // Keystone thumb // Gunn cut // Fleece lined

GL2006K S – 2XL



GL3004CW

ANSI/ISEA 105-2016 – CUT A7 | PUNCTURE 4 EN388: 2016 – 3X44F

Premium grain goatskin // Reinforced wing thumb // Gunn cut // Para-aramid liner // TPR // Hi-vis // Hook + loop closure

GL3004CW S – 2XL

LEATHER DRIVERS



GL4001K



Select grain pigskin // Keystone thumb // Gunn cut // Unlined

GL4001K S – 2XL



GL4003K



Select grain pigskin // Keystone thumb // Gunn cut // Fleece lined

GL4003K S – 2XL

WELDING

GL6001W



Premium grain + split cowhide // Wing thumb // Gauntlet cuff // Gunn cut // Kevlar® stitching // Unlined // MIG + TIG welding

GL6001W S – XL



DIPPED GLOVE OFFERINGS



COATINGS



Polyurethane
Value work glove + Low particulate shed + Touch sensitivity with dexterity



Latex
Flexibility in extreme temperatures + Tear resistant + Suited for wet and dry conditions



Nitrile
Latex alternative + Absorbs oil + Outstanding grip

GRIPS

Smooth
Great dry grip + Does not absorb liquids

Micro-Foam
Excellent dry grip + Touch sensitivity + Channels away liquids

Crinkle
Outstanding grip in wet/dry conditions + Channels away liquids

Sandy
Enhances grip in wet/harsh conditions

Pattern
Reinforces grip performance + Durable



POLYURETHANE



GL401

EN388: 2016 – 4131X

Polyurethane palm coating // 13 gauge nylon liner // Touch sensitivity // Low particulate shed

GL401 S – 2XL



GL402C5

ANSI/ISEA 105-2016 – CUT A4
EN388: 2016 – 4X43D

Polyurethane palm coating // 13 gauge HPPE liner // Touch sensitivity // Low particulate shed

GL402C5 S – 2XL



GL403C

ANSI/ISEA 105-2016 – CUT A2 | PUNCTURE 3
EN388: 2016 – 4X42B

Polyurethane palm coating // 13 gauge HPPE liner // Touch sensitivity // Low particulate shed

GL403C S – 2XL



GL404C

ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 4
EN388: 2016 – 4X42D

Polyurethane palm coating // 13 gauge HPPE liner // Hi-vis // Touch sensitivity // Low particulate shed

GL404C S – 2XL

LATEX



GL501C5

ANSI/ISEA 105-2016 –
CUT A4 | ABRASION 4
EN388: 2016 – 3X42D

Latex crinkle palm coating // 13 gauge
HPPE liner // Good grip in all conditions

GL501C5 S – 2XL



GL502

EN388: 2016 – 3131X

Latex smooth full dipped coating
// Double dipped latex sandy palm
coating // 13 gauge nylon liner // Hi-vis
// Waterproof

GL502 S – 2XL



GL503

ANSI/ISEA 105-2016 –
PUNCTURE 3 | ABRASION 3
EN388: 2016 – 3142X

Latex crinkle palm coating //
10 gauge polyester liner // Good grip
in all conditions

GL503 S – 2XL



GL504

ANSI/ISEA 105-2016 – CUT A2 | PUNCTURE 2 |
ABRASION 3 EN388:2016 – 2241X
EN511:2006 – X2X

Latex sandy palm coating // 10 gauge acrylic
liner // Good grip in all conditions // Hi-vis

GL504 S – 2XL



GL505

ANSI/ISEA 105-2016 – CUT A2 | PUNCTURE 2 |
ABRASION 4
EN388:2016 – 3241X
EN511:2006 – X2X

Latex smooth full dipped coating // Double dipped
latex sandy palm coating // 13 gauge polyester
outer liner // 10 gauge acrylic inner liner // Water-
resistant // Hi-vis

GL505 S – 2XL



GL506C

ANSI/ISEA 105-2016 – CUT A5 | PUNCTURE 4 |
ABRASION 5
EN388:2016 – 3X43E
EN ISO 21420:2020

Latex smooth full dipped coating // Double
dipped latex sandy palm coating // 13 gauge
HPPE outer liner // 10 gauge acrylic inner liner //
Water-resistant

GL506C S – 2XL

NITRILE



GL601

EN388: 2016 – 4131X

Nitrile micro-foam palm coating // 15
gauge nylon + spandex liner (silicone
free) // Touch sensitivity // Good grip
in all conditions

GL601 S – 2XL



GL601DP

EN388: 2016 – 4131X

Nitrile micro-foam palm coating //
Dotted palm // 15 gauge nylon +
spandex liner (silicone free) //
Reinforced thumb // Touch sensitivity
// Good grip in all conditions

GL601DP S – 2XL



NITRILE



GL602C3

ANSI/ISEA 105-2016 –
CUT A2 | ABRASION 4
EN388: 2016 – 4X42B

Nitrile micro-foam palm coating // 13 gauge HPPE liner // Good grip in all conditions

GL602C3 S – 2XL



GL603C5

ANSI/ISEA 105-2016 –
CUT A4 | ABRASION 4
EN388: 2016 – 4X43D

Nitrile micro-foam palm coating // 13 gauge HPPE liner // Good grip in all conditions // Hides stains

GL603C5 S – 2XL



GL603DPC5

ANSI/ISEA 105-2016 –
CUT A4 | ABRASION 4
EN388: 2016 – 4X43D

Nitrile micro-foam palm coating // Dotted palm // 13 gauge HPPE liner // Reinforced thumb // Good grip in all conditions // Hides stains

GL603DPC5 S – 2XL



GL604C5

ANSI/ISEA 105-2016 –
CUT A4 | ABRASION 6
EN388: 2016 – 4X43D

Nitrile sandy palm coating // 13 gauge HPPE liner // Good grip in all conditions // Extra absorption

GL604C5 S – 2XL



GL605

EN388: 2016 – 4131X

Nitrile smooth full dipped coating // Double dipped nitrile sandy palm coating // 15 gauge polyester liner // Waterproof // Good grip in all conditions // Extra absorption

GL605 S – 2XL



GL606DPC

ANSI/ISEA 105-2016 – CUT A3
EN388: 2016 – 4X42C

Nitrile micro-foam palm coating // Dotted palm // 18 gauge HPPE liner // Reinforced thumb // Good grip in all conditions

GL606DPC S – 2XL



GL607C

ANSI/ISEA 105-2016 –
CUT A4 | PUNCTURE 4 | ABRASION 3
EN388: 2016 – 4X43D

Nitrile micro-foam palm coating // 13 gauge HPPE liner // Hi-vis // Good grip in all conditions

GL607C S – 2XL



GL608C

ANSI/ISEA 105-2016 –
CUT A6 | PUNCTURE 4 | ABRASION 4
EN388: 2016 – 4X43F

Nitrile sandy palm coating // 13 gauge HPPE liner // Hi-vis // Good grip in all conditions // Extra absorption

GL608C S – 2XL

NITRILE



GL609C

ANSI/ISEA 105-2016 – CUT A5 |
PUNCTURE 3 | ABRASION 4
EN388: 2016 – 4X43E

Nitrile sandy palm coating // 13 gauge
HPPE liner // Reinforced thumb // TPR
// Good grip in all conditions // Extra
absorption

GL609C S – 2XL



GL610C

ANSI/ISEA 105-2016 – CUT A5 |
PUNCTURE 4 | ABRASION 4
EN388: 2016 – 4X43E

Nitrile sandy palm coating // 3/4
dipped on back of hand // 13 gauge
HPPE liner // Reinforced thumb // TPR
// Hook and loop closure // Good grip
in all conditions // Extra absorption //
Touch screen capability

GL610C S – 2XL



GL611

ANSI/ISEA 105-2016 – CUT A2 | PUNCTURE 3
| ABRASION 4
EN388:2016 – 4231X
EN511:2006 – X2X

Nitrile smooth 3/4 dipped coating //
Double dipped nitrile sandy palm
coating // 13 gauge polyester outer
liner // 10 gauge acrylic inner liner //
Water-resistant

GL611 S – 2XL



GL612C

ANSI/ISEA 105-2016 – CUT A5 | PUNCTURE 4
| ABRASION 6
ANSI/ISEA 138-2019 – IMPACT 2
EN388:2016 – 4X43EP

Nitrile sandy dipped coating // 13 gauge
HPPE outer liner // 10 gauge acrylic inner
liner // TPR // Thumb saddle // Hi-vis

GL612C S – 2XL



GL613C

ANSI/ISEA 105-2016 – CUT A4 | PUNCTURE 3 |
ABRASION 5
EN388:2016 – 4X42D
EN ISO 21420:2020

Nitrile micro-foam palm coating // 18 gauge
HPPE liner // Good grip in all conditions //
Reinforced thumb saddle // Touchscreen
capability

GL613C S – 2XL

SEAMLESS KNIT



GL701

13 gauge Thermolite® thermal yarn //
Seamless knit // Traps warm air for
insulation // Moisture-wicking // Warmth and
comfort without weight // Blue liner color
contrasts with most food products for easy
detection

GL701 L

CORDED



GL803C

ANSI/ISEA 105-2016 – CUT A2 | PUNCTURE 3 |
ABRASION 1
ANSI/ISEA 138-2019 – IMPACT 1

Green corded cotton palm // Polyester inner
liner // Hook and loop closure // TPR // Thumb
saddle // Hi-vis

GL803C S – 2XL



GL804C

ANSI/ISEA 105-2016 – CUT A2 | PUNCTURE 4 |
ABRASION 3
ANSI/ISEA 138-2019 – IMPACT 1

Green corded cotton palm // Polyester inner
liner // Hook and loop closure // TPR // Water-
resistant bladder // Thumb saddle // Hi-vis

GL804C S – 2XL

SYNTHETIC GLOVE OFFERINGS

PYRAMEX®



GL102

EN388: 2003 – 3241

Synthetic leather + silicone patches //
Spandex plus mesh fabric on back //
Embossed neoprene on knuckle // Hook + loop
closure // Touch screen capability

GL102 S – 2XL



GL201

EN388: 2003 – 2121

Spandex on back // EVA on index finger //
PVC patches with EVA padding // Terry
cloth on the back of thumb // Hook + loop
closure // TPR // Anti-vibration

GL201 S – 2XL



GL802CR

ANSI/ISEA 105-2016 – CUT A3

EN388: 2003 – 3541

Spandex on back // Rough PVC palm // Long neoprene cuff // TPR // Hi-vis

GL802CR S – 2XL