

REVISED 2023-06-22

SECTION 1: IDENTIFICATION		
		H315 - Causes skin irritation.
1.1 PRODUCT IDENTIFIER		H317 - May cayse an allergic skin reaction
PRODUCT FORM: MIXTURE	HAZARD STATEMENTS	H319 - Causes serious eye irritation
PRODUCT NAME: ISOCYANATE	(GHS-US)	H332 - Harmful if inhaled
		H334 - May cause allergy or asthma symptoms or breathing
STNUNTMS: A COMPONENT, A SIDE, POLYMERIC MDI		difficulties if inhaled
1.2 INTENDED USE OF THE PRODUCT		H335 - May cause respiratory irritation
Use of the Substance/Mixture: Substance for use in conjunction with Resin		H351 - Suspected of causing cancer
Component		H373 - May cause damage to organs(kidneys) through
1.3 NAME, ADDRESS, AND TELEPHONE OF THE RESPONSIBLE		prolonged or repeated exposure(oral).
PARTY COMPANY		P201 - Obtain special instructions before use.
2720 Southeastern Circle, Birmingham, AL 35215		P202 - Do not handle until all safety precautions have been
205-440-4996		read and understood.
		P260 - Do not breathe vapors, mist, or spray.
I.4 EMERGENCE TELEFOONE NOMBER		P264 - Wash hands, forearms, and other exposed areas
(collect calls accepted) CHEMTREC		thoroughly after handling.
		P271 - Use only outdoors or in a well-ventilated area.
SECTION 2: HAZARDS IDENTIFICATION		P272 - Contaminated work clothing must not be allowed out of the workplace.
2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE GHS-US Classification		P280 - Wear protective gloves, protective clothing, and
Acute toxicity, inhalation, Category 4	PRECAUTIONARY	B224 In case of incdements worklation was recrimetery
Carcinogenicity, Category 2	STATEMENTS (GHS-US)	protection.
Sensitization, respiratory, Category 1		P302+P352 - If on skin: Wash with plenty of water.
Eye damage/irritation, Category 2A		P305+P351+P338 - If in evest Rinse cautiously with water
Skin corrosion/irritation, Category 2		for several minutes. Remove contact lenses, if present and
Sensitization, skin, Category 1		easy to do. Continue rinsing.
Specific target organ toxicity (repeated exposure), Category 2   Specific target organ toxicity (single exposure), Category 3		P308+P313 - If exposed or concerned: Get medical advice/ attention.
Full text of hazard classes and H-statements: see section 16		P312 - Call a POISON CENTER/doctor if you feel unwell.
2.2 LABELELEMENTS GHS-US Labeling		P314 - Get medical advice/attention if you feel unwell.
		P321 - Specific treatment (see section 4 on this SDS).
		P332+P313 - If skin irritation occurs: Get medical advice/
		attention.
		P337+P313 - If eye irritation persists: Get medical advice/ attention.
SIGNAL WORD (GHS-US) Warning		P362+P364 - Take off contaminated clothing and wash it before reuse.
		P405 - Store locked up.
		P501 - Dispose of contents/container in accordance with
		local, regional, national, and international regulations.

#### 2.3 OTHER HAZARDS

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

#### 2.4 UNKNOWN ACUTE TOXICITY (GHS-US)

No Available Data



CREATIVE POLYMER SOLUTIONS



## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

**3.1 SUBSTANCE** 

Not Applicable

#### **3.2 MIXTURE**

NAME	PRODUCT IDENTIFIER	%	GHS US CLASSIFICATION
Polymeric diphenylmethane diisocyanate	(CAS no.: 9016- 87-9)	60-100	Acute toxicity, inhalation, Cat. 4; Skin corrosion/irritation, Cat. 2; Serious eye damage/eye irritation, Cat. 2; Sensitization, skin, Cat. 1; Sensitization, respiratory, Cat. 1; Specific target organ toxicity (single exposure), Cat. 3; Carcinogenicity, Cat. 2.
4,4'-diphenylmethane diisocyanate	(CAS no.: 101-68-8)	30-60	Acute toxicity, inhalation, Cat. 4; Skin corrosion/irritation, Cat. 2; Serious eye damage/eye irritation, Cat. 2; Sensitization, skin, Cat. 1; Sensitization, respiratory, Cat. 1; Specific target organ toxicity (single exposure), Cat. 3; Specific target organ toxicity (repeated exposure), Cat. 2; Carcinogenicity, Cat. 2.

Full text of H-phrases: see section 16

\*The exact percentage of composition has been withheld as a trade secret [29 CFR 1910.1200].

#### **SECTION 4: FIRST AID MEASURES**

#### **4.1 DESCRIPTION OF FIRST AID MEASURES**

First-aid measures General: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

First-aid Measures After Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Call a poison center/doctor or transport to a medical facility.

First-aid Measures After Skin Contact: Rinse with water for at least 15 minutes. Call a doctor if irritation develops or persists.

First-aid Measures After Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention without delay.

First-aid Measures After Ingestion: Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

#### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS BOTH ACUTE AND DELAYED

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

#### 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Treat symptomatically.

#### SECTION 5: FIRE-FIGHTING MEASURES

#### **5.1 SUITABLE EXTINGUISHING MEDIA**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Do not use direct water stream.

#### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Combustion products may include and are not limited to: Nitrogen oxides, Isocyanates, Hydrogen cyanide, Carbon monoxide, Carbon dioxide. Material reacts slowly with water, releasing carbon dioxide which can cause pressure buildup and rupture of closed containers.

#### **5.3 ADVICE FOR FIREFIGHTERS**

Wear self-contained breathing apparatus for firefighting if necessary. Avoid contact with this material during firefighting operations. If contact is likely, change to full chemical resistant firefighting clothing with self-contained breathing apparatus. Further information

#### FURTHER INFORTMATION

Use water spray to cool unopened containers.





#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### **6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES**

Use personal protective equipment as described in Section 8. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Evacuate personnel to safe areas. Spilled material may cause a slipping hazard.

#### **6.2 ENVIRONMENTAL PRECAUTIONS**

Prevent entry to sewers and public waters. Avoid release to the environment.

#### **6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP**

Contain spilled material if possible. Soak up with inert absorbent material and dispose of in accordance with local and national regulations. Keep in suitable containers for disposal. Do not place in sealed containers. Material reacts slowly with water, releasing carbon dioxide which can cause pressure buildup and rupture of sealed containers. Wash the spill site with large quantities of water. Attempt to neutralize by adding suitable decontaminant solution. Reference to other sectionsFor disposal see section 13.

#### **6.4 REFERENCE TO OTHER SECTIONS**

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

#### SECTION 7: HANDLING AND STORAGE

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

Ensure adequate ventilation. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes and clothing. Avoid ingestion and inhalation. Use personal protective equipment as described in Section 8. For precautions see section 2.2. Handle in accordance with good industrial hygiene and safety practice.

#### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Keep container tightly closed in a dry and well-ventilated place. Protect from atmospheric moisture. Do not store product contaminated with water to prevent potential hazardous reaction.

#### 7.3 SPECIFIC END USE(S)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **8.1 CONTROL PARAMETERS**

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

METHYLENE BISPHENYL ISOCYANATE (MDI) (CAS: 101-68-8)			
PEL-C	OSHA	0.02 ppm (0.2 mg/m <sup>3</sup> )	
REL-TWA	NIOSH	0.005 ppm (0.05 mg/m <sup>3</sup> )	
REL-C	NIOSH	0.020 ppm (0.2 mg/m <sup>3</sup> ) [10 minutes]	
TLV®-TWA	ACGIH	0.005 ppm [1985]	
PEL-TWA	CAL/.OSHA	0.005 ppm (0.051 mg/m <sup>3</sup> )	

#### **8.2 APPROPRIATE ENGINEERING CONTROLS**

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, gas, etc.) below recommended exposure limits.

#### 8.3 INDIVUDUAL PROTECTION MEASURES, SUCH AS PERDSONAL **PROTECTIOVE EQUIPMENT (PPE)**



Materials for Protective Clothing: Chemically resistant materials and fabrics. Hand Protection: Wear protective gloves (rubber, chemical resistant). Consult manufacturer specifications for further information.

Eye and Face Protection: Safety glasses. If splash hazard, wear faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Ensure that eyewash stations and/or safety showers are close to the workstation location if working with concentrated product.

Skin and Body Protection: Wear protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory Protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Environmental exposure controls: Do n ot let product enter drains.

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid	
Appearance	Brown Liquid	
Odor	Slight amine	
Boiling Point	245 °C	
Flash Point	>150 °C (closed cup)	
Auto-ignition Temperature	No Data Available	
Viscosity	200 mPa.s at 25 °C	

#### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 REACTIVITY:

Isocyanates are reactive, the rate of reactions increases with temperature as well as increased contact; these reactions can become violent. Reaction with water will generate carbon dioxide.

#### **10.2 CHEMICAL STABILITY:**

Stable under normal storage conditions.

#### **10.3 POSSIBILITY OF HAZARDOUS REACTIONS:**

Exposure to elevated temperatures can cause product to decompose and generate gas. This can cause pressure build-up and/or rupturing of closed containers. Polymerization can be catalyzed by strong bases and water.



# 

#### **10.4 CONDITIONS TO AVOID:**

Avoid exposure to elevated temperature and incompatible materials. Avoid exposure to moisture.

#### **10.5 INCOMPATIBLE MATERIALS:**

Acids, Alcohols, Amines, Water, Ammonia, Bases, Metal compounds, Strong oxidizers. Avoid contact with metals such as: Aluminum, Zinc, Brass, Tin, Copper, Galvanized metals.

#### **10.6 HAZARDOUS DECOMPOSITION PRODUCTS:**

Nitrogen oxides, Isocyanates, Hydrogen cyanide, Carbon monoxide, Carbon dioxide.

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### **11.1 INFORMATION ON TOXICOLOGICAL EFFECTS**

#### **Acute Toxicity**

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion. Harmful if inhaled. At room temperature, vapors are minimal due to low volatility. Excessive exposure may cause irritation to upper respiratory tract (nose and throat) and lungs. May cause pulmonary edema. Effects may be delayed. Decreased lung function has been associated with overexposure to isocyanates.

Polymeric diphenylmethane diisocyanate (CAS no.: 9016-87-9):		
LD50 Oral - Rat	> 49000 mg/kg	
LD50 Dermal – Rabbit	> 9400 mg/kg	
LC50 Inhalation Rat	490mg/m3/4H	

Skin Corrosion/Irritation: Causes skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

Serious Eye Damage/Irritation: Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

**Respiratory or Skin Sensitization:** May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ Cell Mutagenicity: Not classified

**Carcinogenicity:** Lung tumors have been observed in laboratory animals exposed to respirable aerosol droplets of MDI/Polymeric MDI.Tumors occurred concurrently with respiratory irritation and lung injury.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive Toxicity: No Data Available

Specific Target Organ Toxicity (Single Exposure): May cause respiratory irritation.

Specific Target Organ Toxicity (Repeated exposure(oral)): May cause damage to organs through prolonged or repeated exposure. Tissue injury in the upper respiratory tract and lungs has been observed in laboratory animals after repeated excessive exposures to MDI/polymeric MDI aerosols.

Aspiration Hazard: No data available.

Additional Information: No data available.

#### SECTION 12: ECOLOGICAL INFORMATION

#### 12.1 TOXICITY

No data available on product

#### **12.2 PERSISTENCE AND DEGRADABILITY**

No data available on product

#### **12.3 BIOACCUMULATIVE POTENTIAL**

No data available on product

#### **12.4 MOBILITY IN SOIL**

No additional information available

#### 12.5 RESULTS OF PBT AND VPVB ASSESSMENT

PBT/vPvB assesment not available as chemical safety assessment not required/not conducted

#### 12.60THER ADVERSE EFFECTS

**Other Information:** Avoid release to the environment.





#### SECTION 13: DISPOSAL CONSIDERATIONS

#### **13.1 WASTE TREATMENT METHODS**

#### **Disposal of the product**

Disposal should be in accordance with applicable Federal, State and local laws and regulations. Local regulations may be more stringent than State or Federal requirements.

#### **Disposal of contaminated packaging**

Dispose of any unused product

#### SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

#### 14.1 IN ACCORDANCE WITH DOT (US)

Not regulated for shipping when shipped in quantities <8333 lb (based on maximum concentration of 4,4'-DIPHENYLMETHANE DIISOCYANATE with CERCLA RQ = 5000 lb)

**Proper Shipping Name:** Other regulated substances, liquid, n.o.s.

(4,4'-DIPHENYLMETHANE DIISOCYANATE)

Hazard Class: 9 Identification Number: NA3082

Label codes: 9

Packing Group: III

ERG Number: 171

#### 14.2 IN ACCORDANCE WITH IMDG

Not dangerous goods

#### 14.3 IN ACCORDANCE WITH IATA

Not dangerous goods

#### SECTION 15: REGULATORY INFORMATION

### 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE PRODUCT IN QUESTION

#### California Proposition 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### Massachusetts Right To Know Components

4,4'-DIPHENYLMETHANE DIISOCYANATE (CAS no.: 101-68-8)

#### New Jersey Right To Know Components

Polymeric diphenylmethane diisocyanate (CAS no.: go16-87-g) 4,4'-DIPHENYLMETHANE DIISOCYANATE (CAS no.: 101-68-8)

#### Pennsylvania Right To Know Components

4,4'-DIPHENYLMETHANE DIISOCYANATE (CAS no.: 101-68-8)

#### CERCLA

4,4'-DIPHENYLMETHANE DIISOCYANATE (CAS no.: 101-68-8) (RQ = 5000 lb)

#### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

#### SARA 313 Components

Polymeric diphenylmethane diisocyanate (CAS no.: go16-87-9) 4,4'-DIPHENYLMETHANE DIISOCYANATE (CAS no.: 101-68-8)

#### **HMIS Rating**

lsocyanate			
Health	2		
Flammability	1		
Physical Hazard	1		
Personal Protection			

NFPA Rating

# 2 1

#### **SECTION 16: OTHER INFORMATION**

#### **16.1 FURTHER INFORMATION/DISCLAIMER**

Date of issue: July 30, 2019.

**DISCLAIMER:** The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. All materials may present unknown hazards and should be used with caution. In no event shall we be held liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if we have been advised of the possibility of such damages.



