

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name Product Name / Trade Name CAS No. Mixture EasySeal.5 Spray Foam B-Component Mixture

Relevant identified uses of the substance or mixture and uses advised against Identified Use(s) Component for Uses Advised Against None

Details of the supplier of the safety data sheet Company Identification Component for the manufacture of polyurethane polymers None

SES Foam LLC 2400 Spring Stuebner Road Spring, Texas 77389 United States of America www.sesfoam.com

(713) 239-0252

Telephone

Emergency telephone number

CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887 (Collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200) Label elements

Hazard Symbol

Skin Irrit. 2; Eye Dam. 1



DANGER

H315: Causes skin irritation. H318: Causes serious eye damage.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash (hands and exposed skin) thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P332+P313: If skin irritation occurs: Get medical advice/attention. P363: Wash contaminated clothing before reuse.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Signal Word(s)

Hazard Statement(s)

Precautionary Statement(s) Prevention

Response



	P310: Get immediate medical advice/attention.
	P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P310: Immediately call a POISON CENTER/doctor.
	P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.
Storage	None
Disposal	P501: Disposal should be in accordance with local, state or national legislation.
Other hazards	Harmful to aquatic life with long lasting effects.
Additional Information	None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Composition/information on ingredients	%W/W	CAS No.	Hazard Statement(s)
Chlorinated phosphate ester	25 - 35	Trade Secret	Acute Tox. 4; H302
Surfactant	11 - 18	Trade Secret	Acute Tox. 4; H302, H332 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2; H411
Proprietary amine	1 - 8	Trade Secret	Flam. Liq. 4; H227 Acute Tox. 4; H312 Skin Corr. 1B; H314 Eye Dam. 1; H318
Proprietary amine	1 - 5	Trade Secret	Acute Tox. 3; H311 Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318
Proprietary amine	0.5 - 4	Trade Secret	Flam. Liq. 4; H227 Acute Tox. 3; H311 Acute Tox. 4; H302, H332 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 3; H402
Polyol resin	< 40	Trade Secret	Not classified as dangerous for supply/use.
Proprietary silicone polymer	0.5 - 2	Trade Secret	Not classified as dangerous for supply/use.
Water	< 30	7732-18-5	Not classified as dangerous for supply/use.

Additional Information - None

SECTION 4: FIRST AID MEASURES



Description of first aid measures



Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is labored, administer oxygen. Get medical advice/attention if you feel unwell.
Skin Contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. If irritation (redness, rash, blistering) develops, get medical attention. Wash contaminated clothing before reuse.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.
Most important symptoms and effects, both acute and delayed	Causes serious eye damage.
Indication of any immediate medical attention and special treatment needed	IF SWALLOWED: Immediately call a POISON CENTER/doctor.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media			
-Suitable Extinguishing Media -Unsuitable Extinguishing Media	Extinguish with water spray, dry chemical, sand or carbon dioxide. None anticipated.		
Special hazards arising from the substance or mixture	None		
Advice for fire-fighters	Fire fighters should wear complete protective clothing including self- contained breathing apparatus.		

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Put on protective equipment before entering danger area. Wear protective gloves/protective clothing/eye protection/face protection.
Environmental precautions	Contain spillages with sand, earth or any suitable adsorbent material. Do not allow to enter drains, sewers or watercourses.
Methods and material for containment and cleaning up	Contain spillages with sand, earth or any suitable adsorbent material. Transfer to a container for disposal or recovery. Wash the spillage area with water. If possible prevent water running into sewers.
Reference to other sections Additional Information	None None

SECTION 7: HANDLING AND STORAGE				
Precautions for safe handling	Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapours/spray.			
Conditions for safe storage, including any incompatibilities				
-Storage temperature	Store at room temperature. Keep container tightly closed and in a well- ventilated place. Store locked up.			

```
-Incompatible materials
```

Isocyanates



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational Exposure Limits

		(8hr TWA)		(STEL)			
		PEL	TLV	PEL	TLV		
SUBSTANCE.	CAS No.	(OSHA)	(ACGIH)	(OSHA)	(ACGIH)	Note:	
Bis (2-Dimethylaminoethyl) ether	3033-62-3		0.05 ppm		0.15 ppm		

Not normally required

- STEL: Short Term Exposure Limit

Exposure controls

Appropriate engineering controls

Personal protection equipment

Eye/face protection



Skin protection (Hand protection/ Other)



Gloves (PVC, Neoprene, or Natural rubber)

Goggles giving complete protection to eyes.

Respiratory protection



Thermal hazards

Environmental Exposure Controls

No personal respiratory protective equipment normally required.

Not normally required.

Do not allow to enter drains, sewers or watercourses.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Color. Odor Odor Threshold (ppm) pH (Value) Melting Point (°C) / Freezing Point (°C) Boiling point/boiling range (°C): Flash Point (°C) Evaporation Rate Flammability (solid, gas) Explosive Limit Ranges Vapour pressure (Pascal) Vapour Density (Air=1) Density (g/ml) Specific Gravity Liquid Clear to amber Slightly ammoniacal Not available. ~10 Not available >93.33 (>200 °F) Not available. Not available. Not available. Not available. Negligible @ 25 °C Not available 1.09 @ 25 °C



Solubility (Water) Solubility (Other) Partition Coefficient (n-Octanol/water) Auto Ignition Point (°C) Decomposition Temperature (°C) Kinematic Viscosity (cSt) Explosive properties Oxidizing properties Soluble Not available. Not available. Not available. ~ 183 @ 25 °C Not explosive. Not oxidizing.

Not available.

Other information

SECTION 10: STABILITY AND REACTIVITY

Reactivity
Chemical stability
Possibility of hazardous reactions

Conditions to avoid Incompatible materials Hazardous decomposition product(s) Stable under normal conditions.

Stable.

This product will react with isocyanates. The reaction is very exothermic and may produce excessive amounts of heat.

Incompatible materials.

Isocyanates.

Combustion or thermal decomposition will evolve toxic and irritant vapours; acrid smoke. Carbon monoxide, Carbon dioxide, nitrogen oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Information on toxicological effects (by analogy with similar materials):

Acute toxicity (estimated / calculated)		Oral: LD50: > 2000 mg/kg (rat) Dermal: LD50: > 2000 mg/kg (rabbit) Inhalation: LC50: > 5 mg/L (4 hr) (rat) (aerosol)			
Corrosivity / Irritation		Causes skin irritation. Causes serious eye damage.			
Sensitization Repeated dose toxicity Mutagenicity		Not to be expected. Not to be expected. Not to be expected.			
Carcinogenicity		Not to be expected.			
NTP	IARC	ACGIH	OSHA		
No.	No.	No.	No.		

Toxicity for reproduction Other information

Not to be expected. None known.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Acute toxicity (estimated / calculated)

Long Term Toxicity

Persistence and degradability Bioaccumulative potential LC50(96 hour): >100 mg/l (fish) EC50(48 hour): >100 mg/l (Daphnia magna) EC50 (72 hour):> 100 mg/l (algae)

Harmful to aquatic life with long lasting effects.

No data. No data.



Air transport

(ICAO/IATA)

Mobility in soil Results of PBT and vPvB assessment Other adverse effects No data. Not classified as PBT or vPvB. None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

Additional Information

None known.

Land transport

(U.S. DOT)

SECTION 14: TRANSPORT INFORMATION

UN number Proper Shipping Name Transport hazard class(es) Packing group Environmental hazards Special precautions for user

Not classified as dangerous for transport.

Sea transport

(IMDG)

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

Reactivity

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
None			

SARA 311/312 - Hazard Categories:

Fire Sudden Release

🛛 Immediate (acute)

Chronic (delayed)

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
None		

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)	TPQ (Pounds)
None				

Proposition 65 (California):

Chemical Name	CAS No.	Typical %wt.	Hazards
None			

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1 - 16.

Date of preparation: January 2, 2017



Hazard Statement(s) Listed in: SECTION 3

H227: Combustible liquid.
H302: Harmful if swallowed.
H311: Toxic in contact with skin.
H312: Harmful in contact with skin.
H314: Causes severe skin burns and eye damage.
H315: Causes skin irritation.
H318: Causes serious eye damage.
H319: Causes serious eye irritation.
H332: Harmful if inhaled.
H402: Harmful to aquatic life.
H411: Toxic to aquatic life with long lasting effects.

Additional Information: None.

The descriptions, data, designs and information contained herein are presented in good faith and believed to be accurate. This information is provided for guidance ONLY. Many factors will affect the processing or application of SES Foam LLC products, it is necessary that you make tests to determine ultimate suitability for SES Foam LLC products for your particular application. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding products described, data or designs presented. In no case shall the descriptions, information, data or designs provided be considered a part of our terms and conditions of sale. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. You expressly agree to release SES Foam LLC from all liability in tort or contract based on the technical information provided. All such information is accepted at your own risk.