



Valued Partners,

We are pleased to announce the release of the **FFG100 - HVAC Firestop Gasket**, a newly configured gasket-only version of the trusted FyreFlange™ firestop solution for HVAC duct penetrations.

This updated offering provides greater flexibility for contractors while simplifying stocking and ordering for our distribution partners. By removing the factory-supplied steel angle, the FyreFlange® Gasket can now be paired with contractor-supplied components in the field, maintaining performance while reducing overall cost and lead time.

New Product Configuration

- **FFG100 – FyreFlange™ Gasket**
2" x 2", 150 ft. roll with adhesive backing (51 mm x 51 mm x 45.7 m)
Designed for field application to contractor-supplied 2" x 2", 20 GA (minimum) steel angle.
- **FFC22 – FyreFlange™ Corner Clips**
For ducts larger than 24" x 48" (61 cm x 122 cm).
- **Contractor-Supplied Components**
Nominal 2" x 2", 20 GA steel angle (not included).

Key Benefits

- **Lower Total Cost** – Contractors can locally source standard steel angle, avoiding markups and reducing installed cost.
- **Simplified Inventory** – Distributors only need to stock gasket rolls and corner clips.
- **Tested and Certified** – Fully UL Certified and compatible with Fyre Flange™ systems.
- **Flexible Application** – Contractors fabricate angles to suit site conditions, reducing waste and avoiding splice plates.
- **Proven Performance** – Same trusted intumescent gasket used in the original system.

Product Availability

- **FFG100 Gasket** – Available now through STI's Somerville, NJ and Memphis, TN warehouses.
- **FFC22 Corner Clip** – Available now through Somerville NJ warehouse.

Discontinuation Notice: Original FyreFlange™ Angle Assembly

As part of this transition, the original FyreFlange™ assembly - FFA2208, and Splice Kit - FFS22, are being phased out and are no longer in production. A limited inventory remains available while supplies last.

We encourage you to contact customers who may still require the complete assembly and help them prepare for this transition.

Support Materials and Resources

The following documents will be available to support the highlighted changes:

[Ordering Information](#)

[Product Data Sheet \(PDS\)](#)

[Installation Instructions](#)

[Sell Sheet](#)

For product support, pricing, or inventory questions, please contact:

CustomerService@stifirestop.com *or*

ProductManagement@stifirestop.com



STI Firestop, 210 Evans Way, Somerville, New Jersey 08876, USA

[Unsubscribe](#) [Manage preferences](#)